

宁波山力士户外用品有限公司

NINGBO SUNREI OUTDOOR PRODUCTS CO., LTD

地址:浙江省慈溪市周巷镇湖塘新村工业园6栋

ADD: Building6, Hutang Industrial Park, Zhouxiang Town, Cixi, Zhejiang, China

Sunree  
KupiFonar.kz  
www.KupiFonar.kz  
info@kupifonar.kz  
8(727)2496770



2020

Light up the wild



*Light up the wild*



执着的户外爱好者又是资深的产品设计师。热爱户外、崇尚自由，十多年注塑模具及工业设计从业经验，酷爱探洞、登山、单车、摩旅等各种户外运动，坚信户外装备设计灵感源自户外运动，将自己的体会和灵感融入到产品中，让设计作品充满“自然气息”。

2006年，凭借多年的户外实践和设计经验，创立了SUNREI户外运动灯具品牌，跻身国内户外运动照明领军品牌行列。SUNREI凭借其出色的工业设计和良好市场信誉，得到了户外消费者的一致认同，并屡次获得亚洲户外产业大奖、中国制作之美优秀奖、和丰工业设计大奖、中国设计红星奖以及德国慕尼黑ISPO亚洲奖等国内外相关奖项。

自2010年之后，SUNREI开始走向国际市场，于2018年正式进入工具市场，并在相关领域取得了丰硕的业绩。

Be keen on Outdoor Sports. Love Outdoors, Advocate Freedom!

More than 20 years of experience in injection mold and design. We firmly believe that good design comes from life. Mr. Mao enjoys caving, climbing, riding, motorcycling, and other outdoor sports, also integrate these experience and inspiration into products.

Founded in 2006, SUNREI quickly became one of the leading brands of Outdoor Lighting. We won a high reputation from customers, also gained a lot of awards, such as ISPO Award, The beauty of making in China, Hefeng Industrial Design Award, China Design Red Star Award, etc.

Since 2010, SUNREI has begun to enter into the international market. Later, we entered into the tool light market from 2018. Start SUNREI brand sales, also cooperate with a lot of famous brands, offer OEM, and ODM service.




山力士创始人兼首席设计师  
SUNREI Founder and Chief Designer: Mr. Mao





# 山力士经典产品年鉴表

## SUNREI Classic Headlights



### 品牌介绍

SUNREI(山力士)专注户外运动照明领域,秉持“诚信、创新、和谐、卓越”的理念,以满足客户需求为第一优先,持续不断的改善制程,注重产能的灵活性与生产力,提升生产效率。建置完善的管理支持系统,严谨的存货管理政策以系统化信息科技加强企业运营效率与决策流程,协同组织目标与行动,创造智能的企业。

### About SUNREI

SUNREI focuses on the field of outdoor lighting, adhering to the concepts of integrity, innovation, harmony and excellence, meeting customer needs as the first priority, continuously improving the process, focusing on flexibility and productivity of production capacity, and improving production efficiency. Establish a rigorous inventory management policies to strengthen company operational efficiency.



# 01

## 工具灯

Industrial Light

P1-P20



# 02

## 户外照明

Outdoor Light

P21-P44




# 03

## 渔具

Fishing Light

P45-P50



# 04

## 其他

Accessory

P51-P54





# 工具灯 Industrial Light




提手设计, 方便提拿  
Handle design for easy handling

# INDUSTRIAL

**V3000**  
**Max 3000 Lumens**



- 多色温可调
  - 电源: 11.1V/5200mAh/57.7Wh
  - 灯珠: COB (2700K-6500K)
  - DC输入: 20V-1.2A
  - USB输出: 5V-2A
  - 充电时间: 4小时
  - 防尘防水级别: IP65
  - 产品尺寸: 243x236x125mm
  - 重量: 1450g
- Multi-color temperature adjustable
  - Power Source: 11.1V/5200mAh/57.7Wh
  - Light Source: COB(2700K-6500K)
  - DC Input: 20V-1.2A
  - USB Output: 5V-2A
  - Charging Time: 4H
  - IP65
  - Size: 243x236x125mm
  - Weight: 1450g



亮度调节开关  
Brightness switch

色温调节开关  
Color temperature switch

三角架支撑孔  
Can be adapted to a tripod



磁吸设计, 内置磁铁  
Installed magnet design

	☀️	🔦	🕒
低亮 Low	190 LM	17 M	56 H
高亮 High	3000 LM	70 M	2 H

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
\* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.



## W3600


Max **3600 Lumens**



双开关设计  
Two switches



三角架支撑孔  
Can be adapted to a tripod



- 电源:7.4V/10000mAh/74Wh
- 灯珠:COB (6500K)
- DC输入:12V-2A
- USB输出:5V-2A
- 充电时间:5小时
- 防尘防水级别:IP65
- 产品尺寸:187x161x96mm (折叠状态)
- 重量:1490g

- Power Source:7.4V/10000mAh/74Wh
- Light Source:COB(6500K)
- DC Input:12V-2A
- USB Output:5V-2A
- Charging Time:5H
- IP65
- Size:187x161x96mm(Folded size)
- Weight:1490g

低亮 Low	180 LM	-	44 H
中亮 Middle	450 LM	-	17 H
高亮 High	900 LM	-	8 H
极亮 Extremely bright	1800 LM	-	4 H

(单边数据 One side index)

\* 参数和图片仅供参考,最终解释权归宁波山力士所有  
\* The parameters above are only for reference,also the final interpretation right belongs to SUNREI.

## W1800M

Max **1800 Lumens**  
Bluetooth



双开关设计  
Two switches



三角架支撑孔  
Can be adapted to a tripod



- 电源:7.4V/5000mAh/37Wh
- 灯珠:COB (6500K)
- DC输入:12V-2A
- USB输出:5V-2A
- 充电时间:3小时
- 防尘防水级别:IP65
- 产品尺寸:187x161x96mm (折叠状态)
- 重量:1357g

- Power Source:7.4V/5000mAh/37Wh
- Light Source:COB(6500K)
- DC Input:12V-2A
- USB Output:5V-2A
- Charging Time:3H
- IP65
- Size:187x161x96mm(Folded size)
- Weight:1357g

低亮 Low	180 LM	-	22 H
中亮 Middle	450 LM	-	9 H
高亮 High	900 LM	-	4 H
极亮 Extremely bright	1800 LM	-	2 H

\* 参数和图片仅供参考,最终解释权归宁波山力士所有  
\* The parameters above are only for reference,also the final interpretation right belongs to SUNREI.



蓝牙音箱  
Bluetooth Speaker



## W1800 Max 1800 Lumens



- 多色温可调
- 电源: 7.4V/5000mAh/37Wh
- 灯珠: COB (2700K-6500K)
- DC输入: 12V-2A
- USB输出: 5V-2A
- 充电时间: 3小时
- 防尘防水级别: IP65
- 产品尺寸: 188x164x78mm
- 重量: 750g

- Multi-color temperature adjustable
- Power Source: 7.4V/5000mAh/37Wh
- Light Source: COB(2700K-6500K)
- DC Input: 12V-2A
- USB Output: 5V-2A
- Charging Time: 3H
- IP65
- Size: 188x164x78mm
- Weight: 750g



底部磁铁  
Magnet

三角架支撑孔  
Can be adapted to a tripod



40°  
快挂设计  
Hook

亮度	光通量 (LM)	照射距离 (M)	照射时间 (H)
低亮 Low	180 LM	-	22 H
中亮 Middle	450 LM	-	9 H
高亮 High	900 LM	-	4 H
极亮 Extremely bright	1800 LM	-	2 H

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
\* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.


三角架支撑设计  
Can be adapted to a tripod



充电宝功能  
Can be used as power bank



Type-C 接口  
Type-C Interface



## V1500 Max 1500 Lumens



- 电源: 3.7V/10400mAh/38.5Wh
- 灯珠: COB(红/白)
- DC输入: 5V-3A / 9V-2A
- USB输出: 5V-3A / 9V-2A / 12V-1A
- 充电时间: 4.5小时
- 防水级别: IPX5
- 产品尺寸: 158x102x55mm (折叠状态)  
268x102x48mm (展开状态)
- 重量: 600g

- Power Source: 3.7V/10400mAh/38.5Wh
- Light Source: COB(Red/White)
- DC Input: 5V-3A / 9V-2A
- USB Output: 5V-3A / 9V-2A / 12V-1A
- Charging Time: 4.5H
- IPX5
- Size: 158x102x55mm(Folded size)  
268x102x48mm(Expand size)
- Weight: 600g

模式	光通量 (LM)	照射距离 (M)	照射时间 (H)
泛光 Floodlight			
中亮 Middle	320 LM	22 M	22 H
高亮 High	660 LM	32 M	9 H
超亮 Extremely bright	1500 LM	50 M	5 H
低亮 Low	45 LM	8 M	139 H
红光 Red			
高亮 High	50 LM	-	26 H
频闪 Strobe	-	-	-

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
\* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.



## V600-M Max 600 Lumens Bluetooth



- 电源: 3.7V/5200mAh/19.2Wh
- 灯珠: COB(6500K)+白光LED(6500K)
- USB输入: 5V-1.5A
- 充电时间: 6.5小时
- 防水级别: IPX5
- 产品尺寸: 57x131x58mm (折叠状态)  
57x214x21mm (展开状态)
- 重量: 355g

- Power Source: 3.7V/5200mAh/19.2Wh
- Light Source: COB(6500K)+White LED(6500K)
- USB Input: 5V-1.5A
- Charging Time: 6.5H
- IPX5
- Size: 57x131x58mm (Folded size)  
57x214x21mm (Expand size)
- Weight: 355g



泛光 Flood light	☀️	◀️	⊕
低亮 Low	20 LM	5 M	154 H
中亮 Middle	260 LM	25 M	7.5 H
高亮 High	600 LM	36 M	4 H
红光高亮 High	35 LM	-	15 H
红光频闪 Strobe	-	-	-

远光 Focus light	☀️	◀️	⊕
高亮 High	250 LM	100 M	8.5 H

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
\* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

## V1000 Max 1000 Lumens



- 电源: 3.7V/5200mAh/19.2Wh
- 灯珠: COB(6500K)+CREE LED(6500K)
- USB输入: 5.1V-2A
- 充电时间: 3.5小时
- 防水级别: IPX5
- 产品尺寸: 57x130x48mm (折叠状态)  
57x240x40mm (展开状态)
- 重量: 320g
- Power Source: 3.7V/5200mAh/19.2Wh
- Light Source: COB(6500K)+CREE LED(6500K)
- USB Input: 5.1V-2A
- Charging Time: 3.5H
- IPX5
- Size: 57x130x48mm (Folded size)  
57x240x40mm (Expand size)
- Weight: 320g




泛光 Flood light	☀️	◀️	⊕
中亮 Middle	430 LM	25 M	7 H
高亮 High	1000 LM	40 M	4 H
低亮 Low	30 LM	7 M	84 H
红光高亮 High	45 LM	-	13 H
红光频闪 Strobe	-	-	-

远光 Focus light	☀️	◀️	⊕
高亮 High	250 LM	100 M	13 H
中亮 Middle	70 LM	47 M	48 H

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
\* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.



## V380 Max 380 Lumens



- 电源: 3.7V/2600mAh/9.6Wh
- 灯珠: COB(6500K)+白光LED(6500K)
- USB输入: 5V-1A
- 充电时间: 3.7小时
- 防水级别: IPX5
- 产品尺寸: 55x123x32mm (折叠状态)  
55x215x32mm (展开状态)
- 重量: 180g
- Power Source: 3.7V/2600mAh/9.6Wh
- Light Source: COB(6500K)+White LED (6500K)
- USB Input: 5V-1A
- Charging Time: 3.7H
- IPX5
- Size: 55x123x32mm (Folded size)  
55x215x32mm (Expand size)
- Weight: 180g



夜光设计  
Luminous Design




手电模式  
Flashlight mode


泛光 Flood light			
中亮 Middle	160 LM	15 M	10 H
高亮 High	380 LM	24 M	5.8 H
低亮 Low	12 LM	4 M	102 H
远光 Focus light			
高亮 High	280 LM	100 M	7 H
中亮 Middle	60 LM	44 M	35 H

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
\* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.



可拆卸快挂设计  
Detachable hanging design



吸磁设计  
Magnet





- 电源: 3.7V/4200mAh/15.5Wh
- 灯珠: 2\*CREE LED(6500K)
- USB输入: 5V-2A
- 防尘防水级别: IP65
- 产品尺寸: 85x184x54mm (折叠状态)  
76x168x54mm (展开状态)
- 重量: 252g (带底座) / 222g (不带底座)
- Power Source: 3.7V/4200mAh/15.5 Wh
- Light Source: 2\*CREE LED(6500K)
- USB Input: 5V-2A
- IP65
- Size: 85x184x54mm (Folded size)  
76x168x54mm (Expand size)
- Weight: 252g (Basement) / 222g (Basement excluded)



远光 Focus light			
中亮 Middle	350 LM	-	6 H
高亮 High	1000 LM	-	3 H
低亮 Low	20 LM	-	90 H
泛光 Floodlight			
高亮 High	600 LM	-	5 H
低亮 Low	100 LM	-	-

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
\* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

## L1000 Max 1000 Lumens




充电触点  
Charging contact

充电底座  
Charging basement



## L800 Max 800 Lumens




- 电源:3.7V/4200mAh/15.5Wh
- 灯珠:CREE LED (6500K)
- USB输入:5V-2A
- 防尘防水级别:IP65
- 产品尺寸:160X125X53mm(带底座)
- 重量:232g(带底座)/202g(不带底座)

- Power Source:3.7V/4200mAh/15.5Wh
- Light Source:CREE LED (6500K)
- USB Input:5V-2A
- IP65
- Size:160X125X53mm (Basement)
- Weight:232g (Basement) /202g (Basement excluded)

亮度	流明 (LM)	射程 (M)	续航 (H)
中亮 Middle	280 LM	-	8 H
高亮 High	800 LM	-	4 H
低亮 Low	20 LM	-	90 H

\* 参数和图片仅供参考,最终解释权归宁波山力士所有  
\* The parameters above are only for reference,also the final interpretation right belongs to SUNREI.



充电底座  
Charging basement

## L550 Max 550 Lumens



- 电源:3.7V/2000mAh/7.4Wh
- 灯珠:COB双色(红/白)+白光灯珠(6500K)
- USB输入:5V-1A
- 充电时间:3小时
- 防水级别:IPX5
- 产品尺寸:33x115x45mm(折叠状态)
- 33x270x45mm(展开状态)
- 重量:175g

- Power Source:3.7V/2000mAh/7.4Wh
- Light Source:COB(Red/White)+White LED (6500K)
- USB Input:5V-1A
- Charging Time:3H
- IPX5
- Size:33x115x45mm(Folded size)
- 33x270x45mm(Expand size)
- Weight:175g

模式	流明 (LM)	射程 (M)	续航 (H)
泛光 Floodlight			
中亮 Middle	220 LM	20 M	4 H
高亮 High	550 LM	31 M	2.5 H
低亮 Low	22 LM	6 M	35 H
红光高亮 High	30 LM	-	7 H
红光频闪 Strobe	-	-	-
远光 Focus light			
中亮 Middle	40 LM	9 M	16 H
高亮 High	80 LM	12 M	8 H

\* 参数和图片仅供参考,最终解释权归宁波山力士所有  
\* The parameters above are only for reference,also the final interpretation right belongs to SUNREI.







## C1500 Max 1500 Lumens



- 电源:3.7V/13500mAh/50Wh
- 灯珠:COB双色温(2700K+6500K)+紫光LED
- USB输出:5V-3A、9V-2A、12V-1A
- USB输入:5V-3A、9V-2A
- 充电时间:4.5—5H
- 防水级别:IPX5
- 产品尺寸:98x111x44.5mm
- 重量:420g

- Power Source:3.7V/13500mAh/50Wh
- Light Source:COB(2700K+6500K)+ UV LED
- USB Output:5V-3A、9V-2A、12V-1A
- USB Input:5V-3A、9V-2A
- Charging Time:4.5—5H
- IPX5
- Size:98x111x44.5mm
- Weight:420g

	远光 Focus light	中亮 Middle	高亮 High	低亮 Low
低亮 Low	120 LM	-	34 H	
中亮 Middle	300 LM	-	13.5 H	
高亮 High	750 LM	-	5.5 H	
极亮 Extremely bright	1500 LM	-	2 H	
紫光 UV LED	-	-	35 H	

\* 参数和图片仅供参考,最终解释权归宁波山力士所有  
\* The parameters above are only for reference,also the final interpretation right belongs to SUNREI.



- 电源:3.7V/500mAh
- 灯珠:COB双色(红/白)(6500K)
- USB输入:5V-0.5A
- 充电时间:1.5小时
- 感应距离:≤15厘米
- 防水级别:IPX5
- 产品尺寸:60x50.5x22.4mm
- 重量:38.5g

- Power Source:3.7V/500mAh
- Light Source:COB(Red/White)(6500K)
- USB Input:5V-0.5A
- Charging Time:1.5H
- Sensing distance:≤15cm
- IPX5
- Size:60x50.5x22.4mm
- Weight:38.5g

	远光 Focus light	中亮 Middle	高亮 High	低亮 Low
远光 Focus light	45 LM	9 M	5 H	
中亮 Middle	100 LM	15 M	4 H	
高亮 High	6 LM	3 M	27 H	
低亮 Low				
红光 Red				
高亮 High	4 LM	-	18 H	
频闪 Strobe	-	-	-	

(点亮照明模式任意档,轻按感应键进入感应模式)  
(Click sensor button to sensor mode when light on)

\* 参数和图片仅供参考,最终解释权归宁波山力士所有  
\* The parameters above are only for reference,also the final interpretation right belongs to SUNREI.

- 电源:3.7V/500mAh
- 灯珠:白光灯珠(4500K)
- USB输入:5V-0.25A
- 充电时间:2.5小时
- 感应距离:≤15厘米
- 防水级别:IPX5
- 产品尺寸:48x36x26mm
- 重量:25g

- Power Source:3.7V/500mAh
- Light Source:White LED(4500K)
- USB Input:5V-0.25A
- Charging Time:2.5H
- Sensing distance:≤15cm
- IPX5
- Size:48x36x26mm
- Weight:25g

	远光 Focus light	中亮 Middle	高亮 High	低亮 Low
远光 Focus light	55 LM	25 M	4.5 H	
中亮 Middle	8 LM	9 M	29 H	
高亮 High				
低亮 Low				
感应 Sensing				
低亮 Low	8 LM	9 M	24 H	

\* 参数和图片仅供参考,最终解释权归宁波山力士所有  
\* The parameters above are only for reference,also the final interpretation right belongs to SUNREI.

## H100

Max 100 Lumens



感应装置 Sensor



## H50

Max 55 Lumens



感应装置 Sensor







- 电源:3.7V/1800mAh
- 灯珠:CREE LED (6500K)+白光灯珠 (6500K)
- USB输入:5V-1A
- 充电时间:2.3小时
- 感应距离:≤15cm
- 防水级别:IPX5
- 产品尺寸:60x39x42mm
- 重量:93.5g
- Power Source:3.7V/1800mAh
- Light Source:CREE LED (6500K)+White LED (6500K)
- USB Input:5V-1A
- Charging Time:2.3H
- Sensing distance:≤15cm
- IPX5
- Size:60x39x42mm
- Weight:93.5g


远光 Focus light			
中亮 Middle	100 LM	55 M	8 H
高亮 High	330 LM	99 M	3.7 H
远光+泛光 Focus light+Flood light			
高亮 High	440 LM	100 M	2.5 H
泛光 Flood light			
高亮 High	120 LM	16 M	7.7 H
低亮 Low	10 LM	5 M	70 H

(点亮照明模式任意档,轻按感应键进入感应模式)  
(Click sensor button to sensor mode when light on)

\* 参数和图片仅供参考,最终解释权归宁波山力士所有

\* The parameters above are only for reference,also the final interpretation right belongs to SUNREI.

## MUYE1 Max 440 Lumens



## MUYE2 Max 330 Lumens


- 电源:1\*18650(测试用1节带保护板的2600mAh 18650锂电池)
- 灯珠:CREE LED (6500K)
- USB输入:5V-1A
- 充电时间:3.5小时
- 感应距离:≤15cm
- 防水级别:IPX5
- 产品尺寸:65x32x35mm
- 重量:115g(不含电池)
- Power Source:1\*18650 (Tested by 1\*2600mAh LI-battery with protection board)
- Light Source:CREE LED (6500K)
- USB Input:5V-1A
- Charging Time:3.5H
- Sensing distance:≤15cm
- IPX5
- Size:65x32x35mm
- Weight:115g(Without battery)

远光 Focus light			
中亮 Middle	60-100 LM	30-60 M	9 H
高亮 High	190-330 LM	55-100 M	4 H
低亮 Low	5-9 LM	10-17 M	96 H
SOS	-	-	-

(点亮照明模式任意档,轻按感应键进入感应模式)  
(Click sensor button to sensor mode when light on)

\* 参数和图片仅供参考,最终解释权归宁波山力士所有

\* The parameters above are only for reference,also the final interpretation right belongs to SUNREI.





## EOS2 Max 320 Lumens



散热设计  
Heat Emission Design



双开关按钮  
Two Switches

- 电源:3节7号电池
- 灯珠:COB双色(红/白)(6500K)
- 防水级别:IPX6
- 产品尺寸:63x35x45mm
- 重量:59g(不含电池)
- Power Source:3\*AAA
- Light Source:COB (Red/ White) (6500K)
- IPX6
- Size:63x35x45mm
- Weight:59g(Without battery)

白光 White light			
高亮 Middle	320 LM	22 M	3 H
中亮 High	100 LM	12 M	9 H
低亮 Low	10 LM	4 M	97 H
频闪 Strobe	-	-	-
红光 Red light			
高亮 High	30 LM	12 M	5 H
频闪 Strobe	-	-	-

\* 参数和图片仅供参考,最终解释权归宁波山力士所有  
\* The parameters above are only for reference,also the final interpretation right belongs to SUNREI.



- 电源:3.7V/1800mAh
- 灯珠:1\*CREE LED(4500K)+2\*白光灯珠(6500K)
- USB充电:5V-1A
- USB充电时间:2.5小时
- 防水级别:IPX5
- 产品尺寸:60x45x30mm
- 重量:95g
- Power Source:3.7V/1800mAh
- Light Source:1\*CREE LED(4500K)+2\*White LEDs(6500K)
- USB Input:5V-1A
- Charging Time:2.5H
- IPX5
- Size:60x45x30mm
- Weight:95g

远光 Focus light			
中亮 Middle	70 LM	40 M	13 H
高亮 High	200 LM	68 M	6 H
低亮 Low	7 LM	11 M	91 H
SOS	-	-	-
泛光 Flood light			
高亮 High	55 LM	12 M	18 H
低亮 Low	15 LM	7 M	59 H
频闪 Strobe	-	-	-

\* 参数和图片仅供参考,最终解释权归宁波山力士所有  
\* The parameters above are only for reference,also the final interpretation right belongs to SUNREI.



## H200-Li Max 200 Lumens

## Youdox Max 300 Lumens



- 电源:3节7号电池
- 灯珠:CREE LED(6500K)+1\*白光灯珠(6500K)+1\*红灯珠
- 防水级别:IPX8
- 产品尺寸:60x35x44mm
- 重量:67.5g(不含电池)
- Power Source:3\*AAA
- Light Source:CREE LED(6500K)+1\*White LED(6500K)+1\*Red LED
- IPX8
- Size:60x35x44mm
- Weight:67.5g (Without battery)

远光 Focus light			
中亮 Middle	90 LM	40 M	20 H
高亮 High	235 LM	70 M	7 H
远光+泛光 Focus light+Flood light			
高亮 High	300 LM	72 M	4 H
泛光 Flood light			
高亮 High	100 LM	20 M	11 H
低亮 Low	10 LM	7 M	115 H
红光 Red light			
高亮 High	2 LM	-	66 H
频闪 Strobe	-	-	-
SOS	-	-	-

\* 参数和图片仅供参考,最终解释权归宁波山力士所有  
\* The parameters above are only for reference,also the final interpretation right belongs to SUNREI.

- 电源:3节7号电池
- 灯珠:1\*CREE LED(6500K)+2\*白光灯珠(6500K)
- 防水级别:IPX6
- 产品尺寸:60x45x30mm
- 重量:62g(不含电池)
- Power Source:3\*AAA
- Light Source:1\*CREE LED(6500K)+2\*White LEDs(6500K)
- IPX6
- Size:60x45x30mm
- Weight:62g (Without battery)

远光(Focus light)			
中亮 Middle	75 LM	60 M	10 H
高亮 High	195 LM	95 M	5 H
低亮 Low	12 LM	21 M	110 H
SOS	-	-	-
泛光(Floodlight)			
高亮 High	15 LM	6 M	110 H
低亮 Low	7 LM	4 M	190 H
频闪 Strobe	-	-	-

\* 参数和图片仅供参考,最终解释权归宁波山力士所有  
\* The parameters above are only for reference,also the final interpretation right belongs to SUNREI.



## H200 Max 195 Lumens



## Ree

Max **155 Lumens**



- 电源:1节5号电池
- 灯珠:1\*CREE LED (4500K)+2\*白光灯珠(6500K)
- 防水级别:IPX6
- 产品尺寸:64x37x31mm
- 重量:48g(不含电池)
- Power Source:1\*AA
- Light Source:1\*CREE LED (4500K)+2\*White LEDs(6500K)
- IPX6
- Size:64x37x31mm
- Weight:48g(Without battery)

远光 Focus light			
中亮 Middle	50 LM	30 M	13 H
高亮 High	155 LM	60 M	6 H
低亮 Low	5 LM	11 M	52 H
SOS	-	-	-
泛光 Flood light			
高亮 High	40 LM	10 M	13 H
低亮 Low	15 LM	6 M	27 H
频闪 Strobe	-	-	-

\* 参数和图片仅供参考,最终解释权归宁波山力士所有  
 \* The parameters above are only for reference,also the final interpretation right belongs to SUNREI.

## Apollo1000

Max **1000 Lumens**



- 泛光片设计:当泛光片盖在镜片前时,远光则会变成泛光。
- 电源:2\*18650(测试用2节带保护板的2600mAh 18650锂电池)
- 灯珠:CREE LED (6500K)
- USB输入:5V-2.1A
- 防水级别:IPX5
- 产品尺寸:83.2x38.1x42.3mm
- 重量:178.8g(不含电池)

- Floodlight screen design: When the screen is placed in front of the lens, it will become floodlight
- Power Source:2\*18650 (Tested by 2\*2600mAh LI-battery with protection board)
- Light Source:CREE LED (6500K)
- USB Input:5V-2.1A
- IPX5
- Size:83.2x38.1x42.3mm
- Weight:178.8g(Without battery)

远光 Focus light			
低亮 Low	10 LM	-	170 H
高亮 High	1000 LM	-	2 H

\* 参数和图片仅供参考,最终解释权归宁波山力士所有  
 \* The parameters above are only for reference,also the final interpretation right belongs to SUNREI.

## NOX

Max **94 Lumens**



- 电源:3.7V/1800mAh,3节7号电池
- 灯珠:6\*白光灯珠(6500K)+1\*红光灯珠
- 防水级别:IPX6
- 产品尺寸:61x50x50mm
- 重量:46.5g(不含电池)
- Power Source:3.7V/1800mAh,3\*AAA
- Light Source:6\*White LEDs(6500K)+1\*Red LED
- IPX6
- Size:61x50x50mm
- Weight:46.5g(Without battery)

白光 White light			
高亮 High	94 LM	8 M	6 H
低亮 Low	5 LM	2 M	90 H
红光 Red light			
高亮 High	2 LM	-	98 H
频闪 Strobe	-	-	480 H

\* 参数和图片仅供参考,最终解释权归宁波山力士所有  
 \* The parameters above are only for reference,also the final interpretation right belongs to SUNREI.





# 户外照明 Outdoor Light



# OUTDOOR

- 智能感应设计, 操作便捷灵敏, 挥手即可开关
- 感应距离: ≤15 cm
- 电源: 3节7号电池
- 灯珠: 1\*CREE LED(6500K)+1\*白光灯珠(6500K)
- 防水级别: IPX8
- 产品尺寸: 60x35x44mm
- 重量: 69g (不含电池)

- Two sensors, wave hand to control the light
- Sensing distance: ≤15 cm
- Power Source: 3\*AAA
- Light Source: 1\*CREE LED(6500K)+1\*White LED(6500K)
- Waterproof: IPX8
- Size: 60x35x44mm
- Weight: 69g (without batteries)

	★	◀	⌚
中亮(远光) Middle(Focus)	90 LM	40 M	20 H
高亮(远光) High(Focus)	235 LM	70 M	6 H
高亮(远+泛) High(Focus+Floodlight)	300 LM	72 M	4 H
高亮(泛光) High(Floodlight)	100 LM	20 M	11 H
低亮(泛光) Low(Floodlight)	10 LM	7 M	115 H

(点亮照明模式任意档, 轻按感应键进入感应模式)  
(Click sensor button to sensor mode when light on)

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
\* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

**YoudoX** Lightweight Sensor Waterproof Headlamp

**悦动X** (感应款) 轻量化感应防水头灯



**Max 300 Lumens**



- 电源: 3节7号电池
- 灯珠: 1\*CREE LED(4500K)+2\*白光灯珠(6500K)+1\*红光灯珠
- 防水级别: IPX7
- 产品尺寸: 60x35x44mm
- 重量: 54g (不含电池)

- Power Source: 3\*AAA
- Light Source: 1\*CREE LED(4500K)+2\*white LEDs(6500K)+1\*red LED
- Water resistance: IPX7
- Size: 60x35x44mm
- Weight: 54g (without batteries)

	★	◀	⌚
高亮(泛光) High(Floodlight)	70 LM	8 M	17 H
高亮(远光) High(Focus)	215 LM	70 M	8 H
低亮(远光) Low(Focus)	10 LM	14 M	135 H
高亮(红光) High(Red)	2 LM	—	73 H
频闪(红光) Strobe(Red)	—	—	—
SOS(红光) SOS(Red)	—	—	—


\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
\* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

**Youdo5** Lightweight Waterproof Headlamp

**悦动5** 轻量化防水头灯



**Max 215 Lumens**





- 顶部配有散热片, 具有散热功能
- 极亮模式
- 电源: 3节7号电池
- 灯珠: 1\*CREE LED(6500K) + 2\*红光灯珠
- 防水级别: IPX6
- 产品尺寸: 60x45x30mm
- 重量: 56.5g (不含电池)

- Cooling sheet on the top, Which makes it of good radiating
- Long press to switch on extremely-bright mode
- Power Source: 3\*AAA
- Light Source: 1\*CREE LED(6500K) + 2\*Red LEDs
- Water resistance: IPX6
- Size: 60x45x30mm
- Weight: 56.5g (without batteries)

Mode	Beam	LM	M	H
中亮(远光) Middle(Focus)		60 LM	50 M	10 H
高亮(远光) High(Focus)		200 LM	90 M	5 H
低亮(远光) Low(Focus)		4 LM	10 M	120 H
高亮(红光) High(Red)		6 LM	-	30 H
频闪(红光) Strobe(Red)		-	-	250 H

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
 \* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.



- 电源: 3节7号电池
- 灯珠: 1\*CREE LED(4500K)+2\*白光灯珠(6500K)
- 防水级别: IPX6
- 产品尺寸: 60x45x30mm
- 重量: 56g (不含电池)

- Power Source: 3\*AAA
- Light Source: 1\*CREE LED(4500K)+2\*White LEDs(6500K)
- Water resistance: IPX6
- Size: 60x45x30mm
- Weight: 56g (without batteries)

Mode	Beam	LM	M	H
远光 Focus light				
中亮 Middle		60 LM	38 M	10 H
高亮 High		195 LM	66 M	5 H
低亮 Low		9 LM	14 M	110 H
SOS		-	-	-
泛光 Floodlight				
高亮 High		30 LM	10 M	50 H
低亮 Low		9 LM	6 M	100 H
频闪 Strobe		-	-	-

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
 \* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

## Youdo4 Lightweight Sportive Headlamp

### 悦动4 轻量型运动头灯



### Max 335 Lumens




- ⚡ 长按进极亮模式, 最大流明为335流明, 松开后则恢复到原来状态。
- ⚡ Press and hold the button to the extremely-bright mode Max to 335 lumen, release hands to the previous mode.

## Youdo2S Lightweight Sportive Headlamp

### 悦动2S 轻量型运动头灯



### Max 195 Lumens



- 多用途头灯, 自行车前后灯、头盔灯
- 电源: 3.7V/1800mAh
- 灯珠: 1\*CREE LED(6500K)+2\*白光灯珠(6500K)+2\*红光灯珠
- 充电时间: 2.8H (5V/1A)
- 防水级别: IPX5
- 产品尺寸: 60x38x45mm
- 重量: 97g

- It can be used as headlamp, helmet light, front and tail bicycle light with its portable exchange connector
- Power Source: 3.7V/1800mAh
- Light Source: 1\*CREE LED(6500K)+2\*White LEDs(6500K)+2\*Red LEDs
- Charging Time: 2.8H (5V/1A)
- Water resistance: IPX5
- Size: 60x38x45mm
- Weight: 97g

Mode	Beam	LM	M	H
远光 Focus light				
中亮 Middle		85 LM	50 M	9 H
高亮 High		190 LM	75 M	4 H
泛光 Floodlight				
高亮 High		80 LM	12 M	10 H
远光+泛光 Focus light+Floodlight				
高亮 High		260 LM	76 M	3 H
红光 Red light				
高亮 High		2 LM	-	50 H
频闪 Strobe		-	-	-

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
 \* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

- 电源: 3节7号电池
- 灯珠: 1\*CREE LED (6500K)+2\*白光灯珠(6500K)+2\*红光灯珠
- 防水级别: IPX6
- 产品尺寸: 60x38x43mm
- 重量: 59.5g (不含电池)

- Power Source: 3\*AAA
- Light Source: 1\*CREE LED (6500K) +2\*White LEDs (6500K) +2\*Red LEDs
- Water resistance: IPX6
- Size: 60x38x43mm
- Weight: 59.5g (without batteries)

Mode	Beam	LM	M	H
远光 Focus light				
中亮 Middle		90 LM	40 M	15 H
高亮 High		200 LM	65 M	7 H
低亮 Low		10 LM	13 M	110 H
泛光 Floodlight				
高亮 High		90 LM	12 M	10 H
低亮 Low		15 LM	6 M	55 H
红光 Red light				
高亮 High		4 LM	-	35 H
频闪 Strobe		-	-	-


\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
 \* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

## Magic-Li Multi-functional Headlamp

### 幻影-锂 多功能模块化头灯



### Max 260 Lumens



## Magic Handy Motile Headlamp

### 幻影 轻量化防水头灯



### Max 200 Lumens







- 全视角照明设计
- 导汗型硅胶织带
- 两侧及后侧警示红灯
- 防眩目遮光板
- 电源: 1节5号电池
- 灯珠: 1\*CREE LED (6500K) +3\*红光灯珠
- 防水级别: IPX6
- 产品尺寸: 64x40x32mm
- 重量: 58g (不含电池)

- Wider-angle lighting design: Cutting lighting cup to enlarge the lighting angle
- Sweatband
- Side and rear caution lights
- Anti-dazzling screen: Pull down screen to avoid light blinding others
- Power Source: 1\*AA
- Light Source: 1\*CREE LED (6500K) +3\*Red LED
- Water resistance: IPX6
- Size: 64x40x32mm
- Weight: 58g (without battery)

	远光 Focus light	中亮 Middle	高亮 High	低亮 Low
频闪 Strobe	65 LM	35 M	10 H	15 H
红光 Red light	150 LM	60 M	7 H	12 LM
频闪 Strobe	-	-	-	-
尾灯 Tail light	12 LM	15 M	15 H	-
频闪 Strobe	-	-	96 H	-

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
 \* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

- 具有散热功能
- 电源: 1节18650电池(测试用1节带保护板的2600mAh 18650电池)
- 灯珠: 1\*CREE LED (6500K) +1\*白光灯珠(6500K) +1\*红光灯珠
- 充电时间: 3.5H(5V/1A)
- 防水级别: IPX6
- 产品尺寸: 57x24x33mm
- 重量: 115g (不含电池)

- Heat Sink Cooling Function
- Power Source: 1\*18650(Tested by 1\*2600mAh Li-battery with protection board)
- Light Source: 1\*CREE LED(6500K)+1\*White LED (6500K) + 1\*Red Led
- Charging Time: 3.5H(5V/1A)
- Water resistance: IPX6
- Size: 57x24x33mm
- Weight: 115g(Without battery)

	红光 Red light	远光+泛光 Focus light+Flood light
高亮 High	20 LM	160 LM
中亮 Middle	-	54 M
高亮 High	8.8 H	380 LM
		85 M
		2.8 H


\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
 \* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

## Coolpal Lightweight Running Headlamp

酷跑 轻量化夜跑头灯



Max 150 Lumens




## Youpal-s Trail Running Headlight

悦跑S 越野跑头灯



Max 380 Lumens





- 智能感应设计, 操作便捷灵敏, 挥手即可开关
- 感应距离: ≤15cm
- 电源: 1节5号电池
- 灯珠: CREE LED (6500K)
- 防水级别: IPX6
- 产品尺寸: 64x37x31mm
- 重量: 47g (不含电池)

- Two sensors, wave hand to control the light
- Sensing distance: ≤15 cm
- Power Source: 1\*AA
- Light Source: CREE LED (6500K)
- Water resistance: IPX6
- Size: 64x37x31mm
- Weight: 47g (without battery)

远光 Focus light			
低亮 Low	20 LM	20 M	10 H
高亮 High	150 LM	60 M	6 H
感应 Sensing light			
中亮 Middle	60 LM	33 M	7 H

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
 \* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

- 智能感应设计, 操作便捷灵敏, 挥手即可开关
- 电源: 2节7号电池
- 灯珠: COB (6500K)
- 防水级别: IPX5
- 产品尺寸: 59x32x35mm
- 重量: 46.5g (不含电池)

- Two sensors, wave hand to control the light
- Power Source: 2\*AAA
- Light Source: COB (6500K)
- Water resistance: IPX5
- Size: 59x32x35mm
- Weight: 46.5g (without batteries)

远光 Focus light			
低亮 Low	15 LM	4 M	13 H
高亮 High	125 LM	12 M	2 H
感应 Sensing light			
低亮 Low	15 LM	4 M	10 H
高亮 High	125 LM	12 M	2 H

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
 \* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

## Ree2 Lightweight Motile Headlamp

### 锐2 轻量型运动头灯



### Max 150 Lumens



## Sports-COB 便携式头灯



### Max 125 Lumens



- 全视角照明设计
- 电源: 3节7号电池
- 灯珠: 1\*CREE LED (6500K)+2\*红光灯珠
- 防水级别: IPX6
- 产品尺寸: 63x35x45mm
- 重量: 59g (不含电池)

- Wider-angle lighting device: Cutting lighting cup to enlarge the lighting angle
- Power Source: 3\*AAA
- Light Source: 1\*CREE LED (6500K)+2\*Red LEDs
- Water resistance: IPX6
- Size: 63x35x45mm
- Weight: 59g (without batteries)

远光 Focus light			
中亮 Middle	63 LM	40 M	10 H
高亮 High	195 LM	66 M	5 H
低亮 Low	9 LM	14 M	120 H
SOS	-	-	-

红光 Red light			
高亮 High	4 LM	-	100 H
频闪 Strobe	-	-	120 H
SOS	-	-	-

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
 \* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

- 极亮模式
- 电源: 2节7号电池
- 灯珠: 1\*CREE LED (6500K)+2\*白光灯珠(6500K)
- 防水级别: IPX6
- 产品尺寸: 60x31x36mm
- 重量: 47g (不含电池)

- Extremely-bright mode
- Power Source: 2\*AAA
- Light Source: 1\*CREE LED (6500K)+2\*White LEDs (6500K)
- Water resistance: IPX6
- Size: 60x31x36mm
- Weight: 47g (without batteries)

泛光 Floodlight			
高亮 High	35 LM	8 M	7 H
远光 Focus light			
低亮 Low	15 LM	12 M	26 H
高亮 High	155 LM	50 M	4 H

- ⚡ 长按进极亮模式, 最大流明为200流明, 松开后则恢复到原来状态。
- ⚡ Press and hold the button to the extremely-bright mode Max to 200 lumen, release hands to the previous mode.

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
 \* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

## EOS Lightweight Sportive Headlamp

### 易欧斯 轻量化户外运动头灯



### Max 195 Lumens



## Crius Lightweight Sportive Headlamp

### 克瑞斯 轻量化户外运动头灯



### Max 200 Lumens







- 电源: 2节7号电池
- 灯珠: 1\*白光灯珠(6500K) + 2\*红光灯珠
- 防水级别: IPX6
- 产品尺寸: 58x34x35mm
- 重量: 42g (不含电池)

- Power Source: 2\*AAA
- Light Source: 1\*White LED(6500K) + 2\*Red LEDs
- Water resistance: IPX6
- Size: 58x34x35mm
- Weight: 42g (without batteries)

远光 Focus light			
高亮 High	30 LM	25 M	8 H
红光 Red light			
中亮 Middle	2 LM	-	30 H

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
 \* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

- 电源: 2颗CR2032纽扣电池
- 灯珠: 1\*白光灯珠(6500K) + 2\*红光灯珠
- 防水级别: IPX6
- 产品尺寸: 34x29x36mm
- 重量: 24g (不含电池)

- Power Source: 2\*CR2032
- Light Source: 1\*White LED(6500K) + 2\*Red LEDs
- Water resistance: IPX6
- Size: 34x29x36mm
- Weight: 24g (without batteries)

远光 Focus light			
高亮 High	25 LM	25 M	6 H
红光 Red light			
中亮 Middle	1 LM	-	25 H

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
 \* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

- 电源: 3.7V/500mAh
- 灯珠: 1\*CREE LED(6500K)+2\*红光灯珠
- 充电时间: 2.5H (5V/250mA)
- 防水级别: IPX5
- 产品尺寸: 48x27x32mm
- 重量: 45g

- Power Source: 3.7V/500mAh
- Light Source: 1\*CREE LED(6500K)+2\*Red LEDs
- Charging Time: 2.5H (5V/250mA)
- Water resistance: IPX5
- Size: 48x27x32mm
- Weight: 45g

远光 Focus light			
中亮 Middle	42 LM	28 M	4.5 H
高亮 High	105 LM	45 M	2 H
低亮 Low	6 LM	9 M	21 H
红光 Red light			
高亮 High	4 LM	-	13 H
频闪 Strobe	-	-	-
SOS	-	-	-

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
 \* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

## BeBe Kids headlamp

### 贝贝 儿童头灯



### Max 30 Lumens




## LaLa Kids headlamp

### 拉拉 儿童头灯



### Max 25 Lumens




## Mini2 Ultralight Li-battery headlamp

### 米尼2 轻量化锂电池头灯



### Max 105 Lumens







- 防眩目遮光板
- 全视角照明
- 电量显示功能
- 电源:2节18650(测试用2节带保护板的2600mAh 18650锂电池)
- 灯珠:CREE LED (6500K)
- 充电时间:4.5H(5V/1.5A)
- 防水级别:IPX6
- 产品尺寸:71x37x42mm
- 重量:180g(不含电池)

- Anti-dazzling screen: Pull down screen to avoid light blinding others
- Wider-angle lighting design: Cutting lighting cup to enlarge the lighting angle
- Power indicator
- Power Source: 2\*18650( Tested by 2\*2600mAh Li-battery with protection board)
- Light Source: CREE LED (6500K)
- Charging Time: 4.5H(5V/1.5A)
- Water resistance: IPX6
- Size: 71x37x42mm
- Weight: 180g(Without batteries)

	远光 Focus light	🌟	📏	🕒
低亮 Low	5 LM	10 M	260 H	
高亮 High	700 LM	100 M	4 H	

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
 \* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

## Apollo700 Caving headlamp 阿波罗700 探洞头灯



**Max 700 Lumens**



- 防眩目遮光板
- 全视角照明设计
- 电源:4节5号电池
- 灯珠:CREE LED (6500K)
- 防水级别:IPX6
- 产品尺寸:71x37x42mm
- 重量:184g(不含电池)

- Anti-dazzling screen: Pull down screen to avoid light blinding others
- Wider-angle lighting design: Cutting lighting cup to enlarge the lighting angle
- Power Source: 4\*AA
- Light Source: CREE LED (6500K)
- Water resistance: IPX6
- Size: 71x37x42mm
- Weight: 184g(Without batteries)


	远光 Focus light	🌟	📏	🕒
低亮 Low	5 LM	9 M	220 H	
高亮 High	400 LM	80 M	4.3 H	

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
 \* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

## Apollo400 Caving headlamp 阿波罗400 探洞头灯



**Max 400 Lumens**







- 远/泛双光源设计
- 电量显示功能
- 电源:2节18650电池(测试用2节带保护板的2600mAh 18650锂电池)
- 灯珠:2\*CREE LED(4500K+6500K)
- 充电时间:4.5H(5V/1.5A)
- 防水级别:IPX6
- 产品尺寸:49x31x52mm
- 重量:157g(不含电池)

- Focus+Flood light sources
- Power indicator
- Power Source:2\*18650(Tested by 2\*2600mAh Li-battery with protection board)
- Light Source:2\*CREE LED(4500K+6500K)
- Charging Time:4.5H(5V/1.5A)
- Water resistance:IPX6
- Size:49x31x52mm
- Weight:157g(Without batteries)

	远光 Focus light	中亮 Middle	高亮 High	低亮 Low	SOS
130 LM	67 M	17 H	390 LM	120 M	8 H
20LM	25 M	125 H	65 LM	10 M	26 H
-	-	-	210 LM	18 M	11 H
-	-	-	12 LM	4 M	140 H
-	-	-	频闪 Strobe	-	-

\* 参数和图片仅供参考,最终解释权归宁波山力士所有  
 \* The parameters above are only for reference,also the final interpretation right belongs to SUNREI.

- 远/泛双光源设计
- 电源:4节5号电池
- 灯珠:1\*CREE LED(4500K)+2\*白光灯珠(6500K)+2\*红光灯珠
- 防水级别:IPX6
- 重量:165g(不含电池)

- Focus+Flood light sources
- Power Source:4\*AA
- Light Source:1\*CREE LED(4500K)+2\*White LEDs(6500K)+2\*Red LEDs
- Water resistance:IPX6
- Weight:165g(without batteries)

	远光 Focus light	中亮 Middle	高亮 High	低亮 Low	频闪 Strobe	红光 Red light
82 LM	70 M	20 H	280 LM	150 M	6 H	68 LM
3 LM	3 M	200 H	68 LM	10 M	13 H	3 LM
-	-	-	3 LM	3 M	200 H	3 LM
-	-	-	频闪 Strobe	-	-	频闪 Strobe
-	-	-	SOS	-	-	SOS

\* 参数和图片仅供参考,最终解释权归宁波山力士所有  
 \* The parameters above are only for reference,also the final interpretation right belongs to SUNREI.

## Zengto3 Two lights sources Caving headlamp

### 征途3 双光源探洞头灯



**Max 390 Lumens**



## Search2 Caving headlamp

### 搜奇2 探洞头灯



**Max 280 Lumens**





## 设计初心

根据初步调查,中国户外市场上每年销售的野营燃气罐数量高达几十万个,很多驴友一般在野外使用完以后就会丢弃在山上等自然环境中,为了鼓励大家每次出行不把垃圾丢在野外,我们萌发了这样一个利用废旧的户外燃气罐回收改造成一款家居LED复古灯的创意,旨在提倡只留下脚印,不留下任何垃圾的户外出行方式。

## IDEA

According to the initial investigation, there're hundreds of thousands of gas tanks sold in China. However, always be thrown on the mountain or outdoors. To change this situation, protect the environment, SUNREI get an idea that recycles used the gas tank and makes it as the basement of Lantern. No trash, Footprints only in outdoors!



## 设计原理

我们看到了燃气罐的外形非常类似过去煤油灯的底座,因此如果能够把这个旧的气罐加以改造利用作为LED灯的底座,是个非常不错的选择。首先在底部通过专用的设备(工具)开孔后内置锂电池,然后底部做一个塑料卡式底盖,另外通过上面的螺纹连接LED发光体,这样这个旧气罐相当于一个电池仓,而且摆放也非常稳定,整个外观看上去非常像以前的煤油灯。

## PRINCIPLE

As you can see, the appearance of the gas tank is quite similar to the basement of the kerosene lamp, so why not have a try? We start, firstly make a hole in the bottom to install the Li-battery, then make a plastic bottom cover. Besides, drill a small hole in the top of the gas tank to connect LED. Stable and beautiful.







- 电源:3.7V/3200mAh
- 灯珠:1\*白光LED(2900K-3200K)
- 充电时间:4H(5V/1.5A)
- 额定功率:2W
- 防水级别:IPX4
- 产品尺寸:113x113x245mm
- 重量:394g

- Power source:3.7V/3200mAh
- Light Source:1\*White LED(2900K-3200K)
- Charging Time:4H(5V/1.5A)
- Rated voltage:2W
- Water resistance:IPX4
- Size:113x113x245mm
- Weight:394g

	☀️	📏	🕒
低亮 Low	6 LM	2 M	200 H
高亮 High	160 LM	17 M	9 H

\* 参数和图片仅供参考,最终解释权归宁波山力士所有  
 \* The parameters above are only for reference,also the final interpretation right belongs to SUNREI.



## Green Light Rechargeable Retro LED Light

循光 充电式LED复古灯



**Max 160 Lumens**




- 电源:4节5号电池
- 灯珠:1\*白光LED(2900K-3200K)
- 额定功率:3.3W
- 防水级别:IPX4
- 产品尺寸:113x113x245mm
- 重量:321g(不含电池)

- Power source:4\*AA
- Light Source:1\*White LED(2900K-3200K)
- Rated voltage:3.3W
- Water resistance:IPX4
- Size:113x113x245mm
- Weight:321g(Without batteries)

	☀️	📏	🕒
低亮 Low	15 LM	4 M	120 H
高亮 High	180 LM	18 M	6 H

\* 参数和图片仅供参考,最终解释权归宁波山力士所有  
 \* The parameters above are only for reference,also the final interpretation right belongs to SUNREI.



## Green Light-SE Classic light

循光-SE 简约复古灯



**Max 180 Lumens**



- 蓝牙版本: 4.0
- 内置磁铁, 产品能吸附于任何铁件上
- 电源: 3.7V/3200mAh
- 灯珠: 白光 LED(4500K)
- 充电时间: 4.5H (5V/1A)
- 信号范围: 约10m
- 防水级别: IPX4
- 产品尺寸: 74x74x65mm
- 重量: 196g
- Bluetooth Version: 4.0
- The lantern can be adsorbed on metal parts
- Power Source: 3.7V/3200mAh
- LED: White LED (4500K)
- Charging Time: 4.5H (5V/1A)
- Signal range: around 10M
- Water resistance: IPX4
- Size: 74x74x65mm
- Weight: 196g

白光 White	★	●	🕒
低亮 Low	7 LM	3 M	105 H
中亮 Middle	60 LM	7 M	18 H
高亮 High	180 LM	12 M	9 H

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
 \* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

- 蓝牙版本: 4.0
- 内置磁铁, 产品能吸附于任何铁件上
- 6600mAh锂电池, 具有充电宝功能
- 灯珠: 白光LED(4500K)
- 电源: 3.7V/6600mAh
- 充电时间: 8H (5V/1A)
- USB输出: 5V-1A
- 信号范围: 约10M
- 防水级别: IPX4
- 产品尺寸: 70x70x83mm
- 重量: 294g
- Bluetooth version: 4.0
- The lantern can be adsorbed on metal parts
- Installed 6600mAh Li-battery, can be used as power bank
- LED: White LED (4500K)
- Power Source: 3.7V/6600mAh
- Charging Time: 8H (5V/1A)
- USB output: 5V-1A
- Signal range: around 10M
- Water resistance: IPX4
- Size: 70x70x83mm
- Weight: 294g

白光 White	★	●	🕒
低亮 Low	12 LM	4 M	157 H
中亮 Middle	160 LM	12 M	14 H
高亮 High	390 LM	18 M	8 H

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
 \* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

## CC MUSIC-SE 蓝牙音箱灯 Bluetooth Speaker Lantern

### Bluetooth



**Max 180 Lumens**



- 蓝牙版本: 4.0
- 内置磁铁, 产品能吸附于任何铁件上
- 小巧轻便
- 灯珠: 白光LED (4500K)
- 电源: 3.7V/3200mAh
- 充电时间: 4.5H (5V/1A)
- 信号范围: 约10m
- 防水级别: IPX4
- 产品尺寸: 73x73x65mm
- 重量: 196g
- Bluetooth version: 4.0
- The lantern can be adsorbed on metal parts with its installed magnet basement
- Small and lightweight
- LED: White LED (4500K)
- Power source: 3.7V/3200mAh
- Charging Time: 4.5H (5V/1A)
- Signal range: around 10M
- Water resistance: IPX4
- Size: 73x73x65mm
- Weight: 196g

白光 White	★	●	🕒
低亮 Low	7 LM	3 M	105 H
中亮 Middle	60 LM	7 M	18 H
高亮 High	180 LM	12 M	9 H

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
 \* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

## CC MUSIC S 蓝牙音箱灯 Bluetooth Speaker Lantern

### Bluetooth



**Max 390 Lumens**



- 营地灯、手电筒二合一
- 电源: 3节5号电池
- 灯珠: 2\*白光灯珠(4500K+6500K)+3\*红光灯珠
- 防水级别: IPX6
- 产品尺寸: 80x80x47mm
- 重量: 100.5g(不含电池)
- Can be used as flashlight and camping lantern
- Power source: 3\*AA
- Light Source: 2\*White LED(4500K+6500K)+3\*Red LEDs
- Water resistance: IPX6
- Size: 80x80x47mm
- Weight: 100.5g (without batteries)

营地模式 Camping mode	★	●	🕒
中亮 Middle	80 LM	9 M	36H
高亮 High	220 LM	14 M	12 H
低亮 Low	7 LM	3 M	260 H
手电模式 Flashlight mode			
中亮(白光) Middle(White)	75 LM	56 M	43 H
高亮(白光) High(White)	205 LM	90 M	11H
高亮(红光) High(Red)	4 LM	--	64 H
频闪(红光) Strobe(Red)	--	--	--

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
 \* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

## CC MUSIC 复古实木蓝牙音箱灯 Retro Wood Bluetooth Speaker Lantern

### Bluetooth



**Max 180 Lumens**



## CC-SE 电池款多功能营地灯 3AA Camping Lantern



**Max 220 Lumens**







- USB接口充电, 可做移动电源给其他电子设备应急使用
- 配有遥控, 方便控制营灯开关
- 电源: 3.7V/9900mAh
- 灯珠: 1\*CREE LED(4300K)
- 充电时间: 8H (5V/1.5A)
- 防水级别 IPX5
- 产品尺寸: 70x70x83mm
- 重量: 315g
- It can be used as power bank for cell phones, cameras or other digital devices
- Infrared remote controller
- Power Source: 3.7V/9900mAh
- Light Source: 1\*CREE LED(4300K)
- Charging Time: 8H (5V/1.5A)
- Water resistance: IPX5
- Size: 70x70x83mm
- Weight: 315g

营灯模式 Camping mode	☀️	●	🕒
中亮 Middle	290 LM	17 M	16H
高亮 High	550 LM	23 M	10 H
低亮 Low	25 LM	5 M	240 H
高亮(红光) High(Red)	31 LM	--	40 H
频闪(红光) Strobe(Red)	--	--	--

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
 \* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

## CC3 充电式多功能营灯

Rechargeable Camping Lantern



**Max 550 Lumens**



- USB接口充电, 可做移动电源给其他电子设备应急使用
- 配有遥控, 方便控制营灯开关
- 电源: 3.7V/3300mAh
- 灯珠: 1\*CREE LED(4500K)
- 充电时间: 5H (5V/1A)
- 防水级别 IPX5
- 产品尺寸: 70x70x45mm
- 重量: 146g

- It can be used as power bank for cell phones, cameras or other digital devices
- Infrared remote controller
- Power Source: 3.7V/3300mAh
- Light Source: 1\*CREE LED(4500K)
- Charging Time: 5H (5V/1A)
- Water resistance: IPX5
- Size: 70x70x45mm
- Weight: 146g

营灯模式 Camping mode	☀️	●	🕒
中亮 Middle	140 LM	13 M	12 H
高亮 High	290 LM	18 M	8 H
低亮 Low	16 LM	4 M	110 H
频闪 Strobe	--	--	--

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
 \* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

## CC 充电式多功能营灯

Rechargeable Camping Lantern



**Max 290 Lumens**



- 电源: 3.7V/2600mAh
- 灯珠: 1\*白光灯珠(2700K)+紫光灯珠
- 充电时间: 3H (5V/1.5A)
- 产品尺寸: 105.3\*113.5mm
- 重量: 289g

- Power Source: 3.7V/2600mAh
- Light Source: 1\*White LED (2700K)+UV LED
- Charging Time: 3H (5V/1.5A)
- Size: 105.3\*113.5mm
- Weight: 289g

营灯模式 Camping mode	☀️	●	🕒
低亮 Low	5 LM	--	125 H
高亮 High	45 LM	--	14 H
驱蚊模式 mosquito-proof	--	--	45H
灭蚊模式 anti-mosquito	--	--	3.5H
高速+紫光 high speed+UV	--	--	3.5H

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
 \* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

## CC防蚊灯

防蚊灯 Mosquito lamp



**Max 45 Lumens**





- 营灯手电两种模式
- 二段式吊环设计, 吊挂轻松方便
- 无级调光功能
- 电源: 4节5号电池
- 灯珠: 1\*CREE LED (6500K)
- 防水级别: IPX5
- 产品尺寸: 66x66x134mm(收纳状态)  
66x66x194mm(展开状态)
- 重量: 146g (不含电池)

- Can be used as flashlight & camping lantern
- Two single hangs
- Dimming mode
- Power Source: 4\*AA
- Light Source: 1\*CREE LED (6500K)
- Water resistance: IPX5
- Size: 66x66x134mm(Folded size)  
66x66x194mm(Expand size)
- Weight: 146g (without batteries)

白光 White	☀️	☞	●	🕒
高亮 High	190 LM	170 M	10 M	40 H
低亮 Low	8 LM	40 M	1.5 M	230 H

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
\* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

- 营灯手电两种模式
- 电源: 3节7号电池
- 灯珠: 1\*CREE LED(4500K)
- 防水级别: IPX5
- 产品尺寸: 52x52x114mm(收纳状态)  
52x52x164mm(展开状态)
- 重量: 84g (不含电池)

- Can be used as flashlight & camping lantern
- Power Source: 3\*AAA
- Light Source: 1\*CREE LED(4500K)
- Water resistance: IPX5
- Size: 52x52x114mm(Folded size)  
52x52x164mm(Expand size)
- Weight: 84g (without batteries)


白光 White	☀️	☞	●	🕒
中亮 Middle	96 LM	75 M	7 M	15 H
高亮 High	190 LM	160 M	9 M	5 H
低亮 Low	9 LM	22 M	2 M	130 H
频闪 Strobe	-	-	-	230 H

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
\* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

## C3 手电式营灯 Flashlight Camping Lantern



**Max 190 Lumens**



- USB开关设计, 适用所有移动电源和USB充电器
- 双面USB接口
- 强磁吸附式设计, 可吸附在任何铁件表面
- 快挂式吊环设计
- 电源: USB外接电源
- 灯珠: 1\*白光灯珠(3700K)
- 线长: 1.8米
- 防水级别: IPX4
- 重量: 71.5g
- USB Switch
- Two sides USB ports design
- Insert magnetic for easy adhesive
- Double hook easy for hanging
- Power source: Portable power bank
- Light source: 1\*White LED (3700K)
- Cable length: 1.8m
- Water resistance: IPX4
- Weight: 71.5g

白光 White	☀️	☞	🕒
中亮 Middle	70 LM	6 M	17 H
高亮 High	260 LM	11 M	10 H
低亮 Low	15 LM	3 M	125 H

(此参数以CC3为移动电源)  
\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
\* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

## C9 便捷式照明小吊灯 Hanging Light



**Max 260 Lumens**



## CC-MAX 可充电式工作灯 Rechargeable Working Light



**Max 280 Lumens**



- 电源: 3.7V/3200mAh
- 灯珠: 1\*白光灯珠(4500K)
- 充电时间: 4.5H (5V/1A)
- 防水级别: IPX5
- 产品尺寸: 112x112x129mm(折叠状态)  
147x147x238mm(展开状态)
- 重量: 275g

- Power Source: 3.7V/3200mAh
- LED: 1\*White LED(4500K)
- Charging Time: 4.5H (5V/1A)
- Water resistance: IPX5
- Size: 112x112x129mm(Folded size)  
147x147x238mm(Expand size)
- Weight: 275g

泛光 Floodlight	☀️	☞	🕒
中亮 Middle	100 LM	11 M	17.5 H
高亮 High	280 LM	17 M	8.7 H
低亮 Low	10 LM	3 M	122 H
红光 Red light			
高亮 High	15 LM	-	17 H
频闪 Strobe	-	-	-

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
\* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.



# FISHING



# FISHING



渔具  
Fishing Light



# FISHING

# FISHING



- 0-130°角度调节, 可根据需求调节最佳角度
- 智能感应设计, 操作便捷灵敏, 挥手即可开关
- 充电高效安全, 座充、线充两种充电方式
- 电源: 主体3.7V/500mAh, 电池盒3.7V/600mAh
- 灯珠: 1\*CREE LED (4500K)
- 充电时间: 主体1.5H(5V/500mA), 电池盒2H(5V/500mA)
- 防水级别: IPX5
- 产品尺寸: 主体48x39.5x26mm, 带电池盒62.2x56x30.3mm
- 重量: 主体27g, 电池盒40.5g

## H120 PRO 充电帽夹灯 Rechargeable hat light



- 0-130°angle adjusting design, easier to get the best lighting illumination
- Motion sensor for easy operation
- USB and basement two recharging ways
- Power source: Lamp body 3.7V/500mAh, battery case 3.7V/600mAh
- LED: 1\*CREE LED (4500K)
- Charging Time: Lamp body 1.5H(5V/500mA), battery case 2H(5V/500mA)
- Water resistance: IPX5
- Size: Lamp body 48x39.5x26mm, Lamp with battery case 62.2x56x30.3mm
- Weight: Lamp body 27g, battery case 40.5g

	远光 Focus light	🌟	🔍	🕒
高亮 High	120 LM	-	2 H	
低亮 Low	48 LM	-	6 H	
感应 Sensing light	24 LM	-	10 H	

(点亮照明模式任意档, 轻按感应键进入感应模式)  
(Click sensor button to sensor mode when light on)  
\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

### Max 120 Lumens



- 0-90°角度调节, 可根据需求调节最佳角度
- 智能感应设计, 操作便捷灵敏, 挥手即可开关
- 电源: 3.7V/600mAh
- 灯珠: 白光灯珠(6500K)+红光灯珠
- 防水级别: IPX5
- 产品尺寸: 60x50.5x23.8mm
- 重量: 38.5g

## H150 充电帽夹灯 Rechargeable hat light



- 0-90°angle adjusting design, easier to get the best lighting illumination
- Motion sensor for easy operation
- Power source: 3.7V/600mAh
- LED: White LED (6500K) + Red LED
- Water resistance: IPX5
- Size: 60x50.5x23.8mm
- Weight: 38.5g

	远光 Focus light	🌟	🔍	🕒
中亮 Middle	60 LM	-	3.5 H	
高亮 High	150 LM	-	2.5 H	
低亮 Low	9 LM	-	19 H	
红光 Red light				
高亮 High	4 LM	-	18 H	
频闪 Strobe	-	-	-	

### Max 150 Lumens



(点亮照明模式任意档, 轻按感应键进入感应模式)  
(Click sensor button to sensor mode when light on)  
\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

- 无级调光设计
- 电源: 2节18650(测试用2节带保护板的2600mAh 18650电池)
- 灯珠: 2\*CREE LED (4500K+6500K)
- 充电时间: 4.5H (5V/1.5A)
- 防水级别: IPX5
- 产品尺寸: 50x50x60mm
- 重量: 229g(不含电池)

## eFishing2 Two Light sources Zoomable Headlamp

### 乐钓2 双光源调焦功能



- Mode: Dimming Mode
- Power Source: 2x18650 (Tested by 2x2600mAh Li-battery with protection board)
- LED: 2\*CREE LED (4500K+6500K)
- Charging Time: 4.5H (5V/1.5A)
- Water resistance: IPX5
- Size: 50x50x60mm
- Weight: 229g(without battery)

	远光 Focus light	🌟	🔍	🕒
高亮 High	170 LM	204 M	4.3 H	
低亮 Low	10 LM	40 M	100 H	
泛光 Flood light				
高亮 High	350 LM	48 M	4.3 H	
低亮 Low	17 LM	10 M	100 H	

### Max 350 Lumens



\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
The parameters above are only for reference, also the final interpretation right belongs to SUNREI.



- 相机式伸缩设计
- 相机式三脚架嵌入设计
- 黄光蓝光可同时开启, 蓝光可用于照射鱼漂
- 电源: 3.7V/13500mAh
- 灯珠: 白光灯珠(4500K)+蓝光灯珠+白光灯珠(6500K)
- 充电时间: 5H(5V/3A), 4.5H(9V/2A)
- USB输出: 5V/3A, 9V/2A, 12V/1A
- 防水级别: IPX5
- 产品尺寸: 121.5x115x93mm
- 重量: 420g
- Zoomable design
- Camera standard Tripod Mount hole design
- The yellow and blue light can light up together and blue lighting is ideal for fishing
- Power source: 3.7V/13500mAh
- LED: White LED (4500K)+Blue LED+White LED (6500K)
- Charging Time: 5H(5V/3A), 4.5H(9V/2A)
- USB output: 5V/3A, 9V/2A, 12V/1A
- Water resistance: IPX5
- Size: 121.5x115x93mm
- Weight: 420g

远光 Focus light			
低亮 Low	40 LM	—	84 H
中亮 Middle	100 LM	—	33 H
高亮 High	250 LM	—	13.5 H
极亮 Extremely-bright	500 LM	—	6.5 H
蓝光 Blue lighting			
低亮 Low	8 LM	—	169 H
中亮 Middle	20 LM	—	68 H
高亮 High	50 LM	—	27 H
极亮 Extremely-bright	100 LM	—	13.5 H
泛光 Flood light			
高亮 High	100 LM	—	40 H

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
 \* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

- 智能感应设计, 操作便捷灵敏, 挥手即可开关
- 无级调光设计
- 电源: 3.7V/1800mAh
- 灯珠: 1\*CREE LED(6500K)
- 感应距离: ≤15cm
- 充电时间: 2.7H (5V/1A)
- 防水级别: IPX5
- 重量: 111g

- Two sensors, wave hand to control the light
- Mode: Dimming Mode
- Power source: 3.7V/1800mAh
- LED: 1\*CREE LED(6500K)
- Sensing distance: ≤15cm
- Charge Time: 2.7H (5V/1A)
- Water resistance: IPX5
- Weight: 111g

泛光 Flood light			
低亮 Low	10 LM	7 M	90 H
高亮 High	320 LM	42 M	4.5 H
远光 Focus light			
低亮 Low	5 LM	35 M	90 H
高亮 High	150 LM	200 M	4.5 H

(点亮照明模式任意档, 轻按感应键进入感应模式)  
 (Click sensor button to sensor mode when light on)

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
 \* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

## Poseidon MAX Two light sources fishing headlamp

### 上鱼 MAX 夜钓双光源远射钓鱼灯



**Max 500 Lumens**



## Poseidon Zoomable Headlamp

### 上鱼 调焦感应头灯



**Max 320 Lumens**



- 智能感应设计, 操作便捷灵敏, 挥手即可开关
- 感应距离: ≤15cm
- 体积小, 携带方便
- 电源: 3.7V/1800mAh
- 灯珠: 1\*CREE LED(4500K)
- 充电时间: 2.8H (5V/1A)
- 防水级别: IPX5
- 产品尺寸: 63x37x42mm
- 重量: 89g

- Two sensors, wave hand to control the light
- Sensing distance: ≤15cm
- Compact and lightweight
- Power Source: 3.7V/1800mAh
- Light Source: 1\*CREE LED(4500K)
- Charging Time: 2.8H (5V/1A)
- Water resistance: IPX5
- Size: 63x37x42mm
- Weight: 89g

远光 Focus light			
中亮 Middle	70 LM	46 M	18 H
高亮 High	230 LM	85 M	5.6 H
低亮 Low	9 LM	15 M	110 H
感应 Sensing light			
高亮 High	140 LM	65 M	5.6 H

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
 \* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

- 智能感应设计, 操作便捷灵敏, 挥手即可开关
- 感应距离: ≤15cm
- 体积小, 携带方便
- 电源: 3节7号电池
- 灯珠: 1\*CREE LED(4500K)
- 防水级别: IPX6
- 产品尺寸: 63x37x45mm
- 重量: 61g (不含电池)

- Two sensors, wave hand to control the light
- Sensing distance: ≤15cm
- Compact and lightweight
- Power Source: 3\*AAA
- Light Source: 1\*CREE LED(4500K)
- Water resistance: IPX6
- Size: 63x37x45mm
- Weight: 61g (without batteries)

远光 Focus light			
中亮 Middle	65 LM	46 M	7 H
高亮 High	225 LM	85 M	4 H
低亮 Low	7 LM	15 M	120 H
感应 Sensing light			
高亮 High	140 LM	65 M	3 H

\* 参数和图片仅供参考, 最终解释权归宁波山力士所有  
 \* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

## iFishing-Li Sensor Headlamp

### 爱钓-锂 轻量化充电感应头灯



**Max 230 Lumens**



## iFishing Sensor Headlamp

### 爱钓 轻量化充电感应头灯



**Max 225 Lumens**







# 其他 Accessory

# ACCESSORY

CC灯杯  
CC CUP



易充  
(高效能太阳能充电板)  
10W  
E-Charger Solar Panel



背包灯  
FUN Light



Youdo营灯盒  
Youdo Lantern Box  
(Equipped with  
Youdo2, Youdo2S  
and Youdo3 only)





18650带保护板锂电池  
18650 Li-battery with  
protection board



劲量电池  
Energizer battery



双鹿电池  
Pairdeer battery



头灯织带  
Headlamp headband



标识	标识说明 Identification
	<p>标示该产品采用轻量化设计</p> <p>This pattern indicates the product employs light-weight design.</p>
	<p>标示该产品内置光源为CREE大功率LED</p> <p>This pattern indicates the product equips Cree LED as light source.</p>
	<p>标示该产品内置光源为国产高亮白光LED</p> <p>This pattern indicates the product equips Chinese LED as light source.</p>
	<p>标示该产品内置光源为COB</p> <p>This pattern indicates the product equips COB as light source.</p>
	<p>标示该产品有远光和泛光两组光源</p> <p>This pattern indicates the product adopts focus light /floodlight</p>
	<p>标示该产品有主灯白光和红光两组光源</p> <p>This pattern indicates the product adopts white light/red light as light sources.</p>
	<p>标示该产品有采用两颗大功率LED</p> <p>This pattern indicates the product equips 2*high-power LED as light sources.</p>
	<p>标示该产品也可以作为手电使用</p> <p>This pattern indicates the product can be also used as flashlight.</p>
	<p>标示该产品有远光，泛光，红光三组光源</p> <p>This pattern indicates the product adopts focus light / floodlight / red light</p>
	<p>标示该产品有吸磁功能</p> <p>This pattern indicates the product with magnet.</p>
	<p>标示该产品有挥手感应功能</p> <p>This pattern indicates the product with sensor function</p>
	<p>标示该产品可适应的使用温度</p> <p>This pattern indicates the working temperature of lamp</p>
	<p>标示该产品完全防雨水或一般生活防水</p> <p>This pattern indicates the product can be protected from rain or general life waterproof</p>
	<p>标示该产品采用标准USB充放电接口设计</p> <p>This pattern indicates the product equip with standard USB charge-discharge design.</p>
	<p>标示该产品采用标准DC充电接口设计</p> <p>This pattern indicates the product equips with standard DC charging port</p>