

SUNREI
山力士移動照明

BECAUSE OF LOVE

SUNREI
山力士移動照明

WEB: WWW.SUNREI.COM.CN

宁波山力士户外用品有限公司

NINGBO SUNREI OUTDOOR PRODUCTS CO., LTD

地址: 浙江省慈溪市周巷镇企业路678号

ADD: No.678, Qiye Road, Zhouxiang Town,
Cixi City, Zhejiang Province

电话/TEL: 0086-574-63322018

传真/FAX: 0086-574-63322028

邮编/ZIP CODE: 315324

邮箱/E-MAIL: MARKETING@SUNREI.COM.CN

客服热线/HOT LINE: 400-101-3939



Wechat Official
Account




Facebook



2022

山力士经典产品年鉴表

SUNREI Classic Products



CATALOGUE

目录



01 工具灯

Industrial Light



02 营地灯

Outdoor Light



03 钓鱼灯

Fishing Light



04 头灯

Headlamp



05 配件

Accessory



山力士不仅仅是一家移动照明产品的制造工厂,它更像是一家设计公司。山力士在工作灯、户外头灯、营地灯、夜间垂钓等领域一丝不苟地打造着产品的外观、结构、性能的同时,也用心地设计户外周边产品、配件、品牌视觉、园区环境、厂房车间以及每一处细节。

SUNREI is not just a manufacturing factory for mobile lighting products, it is more like a design company. In the fields of work lights, outdoor headlights, camping lights, night fishing, and other fields. SUNREI meticulously creates the appearance, structure, and performance of the products. At the same time, it also carefully designs outdoor peripheral products, accessories, brand vision, park environment, workshops, and every detail.

About SUNREI

品牌介绍

设计师:毛焕军

Chief Designer:Mr Mao

执着的户外爱好者又是资深的产品设计师。热爱户外、崇尚自由,十多年注塑模具及工业设计从业经验,酷爱探洞、登山、单车、摩旅等各种户外运动,坚信户外装备设计灵感源自户外运动,将自己的体会和灵感融入到产品中,让设计作品充满“自然气息”。

2006年,凭借多年的户外实践和设计经验,创立了SUNREI户外运动灯具品牌,跻身国内户外运动照明领军品牌行列。SUNREI凭借其出色的工业设计和良好市场信誉,得到了户外消费者的一致认同,并屡次获得亚洲户外产业大奖、中国制作之美优秀奖、和丰工业设计大奖、中国设计红星奖以及德国慕尼黑ISPO亚洲奖等国内外相关奖项。

自2010年之后,SUNREI开始走向国际市场,于2018年正式进入工具市场,并在相关领域取得了丰硕的业绩。

Be keen on Outdoor Sports. Love Outdoors, Advocate Freedom!

More than 20 years of experience in injection mold and design. We firmly believe that good design comes from life. Mr. Mao enjoys caving, climbing, riding, motorcycling, and other outdoor sports, also integrate these experience and inspiration into products.

Founded in 2006, SUNREI quickly became one of the leading brands of Outdoor Lighting. We won a high reputation from customers, also gained a lot of awards, such as ISPO Award, The beauty of making in China, Hefeng Industrial Design Award, China Design Red Star Award, etc.

Since 2010, SUNREI has begun to enter into the international market. Later, we entered into the tool light market from 2018. Start SUNREI brand sales, also cooperate with a lot of famous brands, offer OEM, and ODM service.



工具灯

INDUSTRIAL LIGHT






TZ800

Max **800 Lumens**

- 电源:3.7V/8000mAh
- 灯珠:1*LED+1*COB灯珠
- USB输出:5V-2A
- 充电时间:4.5小时
- 防水级别:IPX6
- 产品尺寸:200x131x108mm
- 重量:635g
- Power Source:3.7V/8000mAh
- Light Source:1*LED+1*COB
- USB Output:5V-2A
- Charging Time:4.5H
- IPX6
- Size:200x131x108mm
- Weight:635g



远光 Focus light	☀️	🔦	🕒
低亮 Low	160LM	248 M	28 H
中亮 Middle	400 LM	386 M	11 H
高亮 High	800 LM	532 M	7.5 H
泛光 Flood light			
中亮 Middle	200 LM	19 M	16 H
高亮 High	500 LM	28 M	6.5 H
红光 Red light			
红高 Red High	25 LM	-	31 H
频闪 Strobe		-	-


• 参数和图片仅供参考,最终解释权归宁波山力士所有
• The parameters above are only for reference,also the final interpretation right belongs to SUNREI.

TZ1200

Max **1200 Lumens**



- 电源:3.7V/10400mAh
- 灯珠:1*LED+1*COB灯珠
- USB输出:5V-3A, 9V-2A, 12V-1A
- 充电时间:4.5小时(5V/3A)
4小时(9V/2A)
- 防水级别:IPX6
- 产品尺寸:200x131x108mm
- 重量:680g
- Power Source:3.7V/10400mAh
- Light Source:1*LED+1*COB
- USB Output:5V-3A, 9V-2A, 12V-1A
- Charging Time:4.5 H(5V/3A)
4 H(9V/2A)
- IPX6
- Size:200x131x108mm
- Weight:680g



远光 Focus light	☀️	🔦	🕒
低亮 Low	240 LM	320M	24 H
中亮 Middle	600 LM	510 M	9 H
高亮 High	1200 LM	750 M	6 H
泛光 Flood light			
中亮 Middle	240 LM	20 M	17 H
高亮 High	600 LM	30 M	9 H
红光 Red light			
红高 Red High	45 LM	-	44 H
频闪 Strobe		-	-


• 参数和图片仅供参考,最终解释权归宁波山力士所有
• The parameters above are only for reference,also the final interpretation right belongs to SUNREI.

TZ1600

Max **1600 Lumens**



- 电源:3.7V/18000mAh
- 灯珠:1*白光灯珠+1*COB灯珠
- USB输出:5V-3A, 9V-2A, 12V-1A
- 充电时间:8小时(5V/3A)
7小时(9V/2A)
- 防水级别:IPX6
- 产品尺寸:200x131x108mm
- 重量:750g
- Power Source:3.7V/18000mAh
- Light Source:1*LED+1*COB
- USB Output:5V-3A, 9V-2A, 12V-1A
- Charging Time:8 H(5V/3A)
7 H(9V/2A)
- IPX6
- Size:200x131x108mm
- Weight:680g



远光 Focus light	☀️	🔦	🕒
低亮 Low	320 LM	345M	37 H
中亮 Middle	800 LM	525 M	14 H
高亮 High	1600 LM	760 M	9 H
泛光 Flood light			
中亮 Middle	320 LM	22 M	25 H
高亮 High	800 LM	34 M	14 H
红光 Red light			
红高 Red High	25 LM	-	78 H
频闪 Strobe		-	-


• 参数和图片仅供参考,最终解释权归宁波山力士所有
• The parameters above are only for reference,also the final interpretation right belongs to SUNREI.



C1600

Max **1600 Lumens**

- 电源:3.7V/13500mAh/50Wh
- 灯珠:COB双色温+红光LED
- 输出:5V-3A, 9V-2A
- 输入:5V-3A, 9V-2A, 12V-1A
- 充电时间:5.5—6H
- 防水级别:IPX5
- 产品尺寸:98x111x44.5mm
- 重量:450g



- Power Source:3.7V/13500mAh/50Wh
- Light Source:COB+ RED LED
- Output:5V-3A, 9V-2A
- Input:5V-3A, 9V-2A, 12V-1A
- Charging Time:5.5—6H
- IPX5
- Size:98x111x44.5mm
- Weight:450g

远光 Focus light	☀️	🔦	🕒
低亮 Low	120 LM	13 M	50 H
中亮 Middle	300 LM	21 M	21 H
高亮 High	750 LM	33 M	8 H
极亮 Extremely bright	1600 LM	47 M	5.5 H
红光 RED LED	6 LM	-	195 H

• 参数和图片仅供参考,最终解释权归宁波山力士所有
• The parameters above are only for reference,also the final interpretation right belongs to SUNREI.



180°可旋转
180°rotate

底部磁铁
Magnet

快挂设计
Hook



V1000Pro

Max 1000 lumens

- 电源:3.7V/5200mAh/9.6Wh
- 灯珠:COB+白光LED
- 输入:5V-2A
- 充电时间:3.5小时
- 防水级别:IPX5
- 产品尺寸:55x123x32mm(折叠状态)
55x215x32mm(展开状态)
- 重量:320g
- Power Source:3.7V/5200mAh/9.6Wh
- Light Source:RED COB+White LED
- Input:5V-2A
- Charging Time:3.5H
- IPX5
- Size:55x123x32mm(Folded size)
55x215x32mm(Expand size)
- Weight:180g



泛光 Flood light	☀️	🔦	🕒
中亮 Middle	430 LM	25 M	7 H
高亮 High	1000 LM	40 M	4 H
低亮 Low	30 LM	7 M	84 H
红光高亮 High	45 LM	-	13 H
红光频闪 Strobe	-	-	-
远光 Focus light			
高亮 High	250 LM	100 M	13 H
中亮 Middle	70 LM	47 M	48 H

V380

Max 380 Lumens



- 电源:3.7V/2600mAh/9.6Wh
- 灯珠:COB+白光LED
- USB输入:5V-1A
- 充电时间:3.7小时
- 防水级别:IPX5
- 产品尺寸:55x123x32mm(折叠状态)
55x215x32mm(展开状态)
- 重量:180g
- Power Source:3.7V/2600mAh/9.6Wh
- Light Source:COB+White LED
- USB Input:5V-1A
- Charging Time:3.7H
- IPX5
- Size:55x123x32mm(Folded size)
55x215x32mm(Expand size)
- Weight:180g



泛光 Flood light	☀️	🔦	🕒
中亮 Middle	160 LM	15 M	10 H
高亮 High	380 LM	24 M	5.8 H
低亮 Low	12 LM	4 M	102 H
远光 Focus light			
高亮 High	280 LM	100 M	7 H
中亮 Middle	60 LM	44 M	35 H

* 参数仅供参考,最终以实物为准
* The parameters above are only for reference, also the final interpretation right belongs to SUNREEL





- 电源:3.7V/5200mAh/19.2Wh
- 灯珠:COB+白光LED
- USB输入:5V-2A
- 充电时间:3.5小时
- 防水级别:IPX5
- 产品尺寸:57x131x58mm(折叠状态)
57x214x21mm(展开状态)
- 重量:355g
- Power Source:3.7V/5200mAh/19.2Wh
- Light Source:RED COB+White LED
- USB Input:5V-2A
- Charging Time:3.5H
- IPX5
- Size:57x131x58mm(Folded size)
57x214x21mm(Expand size)
- Weight:355g

V380

Max **380 Lumens**



吸磁设计
Magnet

手电模式
Flashlight
mode

快挂
Hook

泛光 Flood light	★	◀	🕒
低亮 Low	20 LM	5 M	154 H
中亮 Middle	260 LM	25 M	7.5 H
高亮 High	600 LM	36 M	4 H
红光高亮 High	35 LM	-	15 H
红光频闪 Strobe	-	-	-
远光 Focus light	★	◀	🕒
高亮 High	250 LM	100 M	8.5 H

* 参数和图片仅供参考,最终以解释权归宁波山力士所有
* The parameters above are only for reference,also the final interpretation right belongs to SUNREI.



- 电源:3.7V/10400mAh/38.5Wh
- 灯珠:COB(红/白)
- 输入:5V-3A / 9V-2A
- 输出:5V-3A / 9V-2A / 12V-1A
- 充电时间:4.5小时
- 防水级别:IPX5
- 产品尺寸:158x102x55mm(折叠状态)
268x102x48mm(展开状态)
- 重量:600g
- Power Source:3.7V/10400mAh/38.5Wh
- Light Source:COB(Red/White)
- Input:5V-3A / 9V-2A
- Output:5V-3A / 9V-2A / 12V-1A
- Charging Time:4.5H
- IPX5
- Size:158x102x55mm(Folded size)
268x102x48mm(Expand size)
- Weight:600g

V1500

Max **1500 Lumens**



泛光 Floodlight	★	◀	🕒
中亮 Middle	320 LM	22 M	22 H
高亮 High	660 LM	32 M	9 H
超亮 Extremely bright	1500 LM	50 M	5 H
低亮 Low	45 LM	8 M	139 H
红光 Red	50 LM	-	26 H
频闪 Strobe	-	-	-


* 参数和图片仅供参考,最终以解释权归宁波山力士所有
* The parameters above are only for reference,also the final interpretation right belongs to SUNREI.



- 电源:3.7V/5200mAh/9.6Wh
- 灯珠:COB+白光LED
- 输入:5V-2A
- 充电时间:3.5小时
- 防水级别:IPX5
- 产品尺寸:55x123x32mm(折叠状态)
55x215x32mm(展开状态)
- 重量:320g
- Power Source:3.7V/5200mAh/9.6Wh
- Light Source:COB+White LED
- Input:5V-2A
- Charging Time:3.5H
- IPX5
- Size:55x123x32mm(Folded size)
55x215x32mm(Expand size)
- Weight:180g

V1000

Max **1000 Lumens**



泛光 Flood light	★	◀	🕒
中亮 Middle	430 LM	25 M	7 H
高亮 High	1000 LM	40 M	4 H
低亮 Low	30 LM	7 M	84 H
红光高亮 High	45 LM	-	13 H
红光频闪 Strobe	-	-	-
远光 Focus light	★	◀	🕒
高亮 High	250 LM	100 M	13 H
中亮 Middle	70 LM	47 M	48 H

* 参数和图片仅供参考,最终以解释权归宁波山力士所有
* The parameters above are only for reference,also the final interpretation right belongs to SUNREI.



- 多色温可调
- 电源:11.1V/5200mAh/57.7Wh
- 灯珠:COB
- DC输入:15V-1.5A
- USB输出:5V-2A
- 充电时间:4小时
- 防尘防水级别:IP65
- 产品尺寸:243x236x125mm
- 重量:1450g
- Multi-color temperature adjustable
- Power Source:11.1V/5200mAh/57.7Wh
- Light Source:COB
- DC Input:15V-1.5A
- USB Output:5V-2A
- Charging Time:4H
- IP65
- Size:243x236x125mm
- Weight:1450g

V3000

Max **3000 Lumens**



提手设计,方便提拿
Handle design for
easy handling

磁吸设计,内置磁铁
Installed magnet
design

三角架支撑孔
Can be adapted
to a tripod

低亮 Low	★	◀	🕒
190 LM	17 M	56 H	
高亮 High	★	◀	🕒
3000 LM	70 M	2 H	

* 参数和图片仅供参考,最终以解释权归宁波山力士所有
* The parameters above are only for reference,also the final interpretation right belongs to SUNREI.



V3000Pro

Max 3000 Lumens

- 多色温可调
- 电源:11.1V/9000mAh
- 灯珠:COB
- DC输入:15V-1.5A
- USB输出:5V-2A
- 充电时间:6小时
- 防尘防水级别:IP65
- 产品尺寸:243x236x125mm
- 重量:1.5kg
- Multi-color temperature adjustable
- Power Source:11.1V/9000mAh/57.7Wh
- Light Source:COB
- DC Input:15V-1.5A
- USB Output:5V-2A
- Charging Time:6H
- IP65
- Size:243x236x125mm
- Weight:1.5kg



低亮 Low	190 LM	17 M	117 H
高亮 High	3000 LM	70 M	4 H

* 参数和图片仅供参考,最终解释权归宁波山力士所有
 * The parameters above are only for reference,also the final interpretation right belongs to SUNREI.



L1000

Max 1000 Lumens



- 电源:3.7V/4500mAh/16.5Wh
- 灯珠:2* LED
- USB输入:5V-2A
- 防尘防水级别:IP65
- 产品尺寸:85x184x54mm (折叠状态)
76x168x54mm (展开状态)
- 重量:252g (带底座) / 222g (不带底座)
- Power Source:3.7V/4500mAh/16.5 Wh
- Light Source:2* LED
- USB Input:5V-2A
- IP65
- Size:85x184x54mm (Folded size)
76x168x54mm (Expand size)
- Weight:252g (Basement) / 222g (Basement excluded)



透光 Focus light			
中亮 Middle	550 LM	118 M	4 H
高亮 High	1000 LM	170 M	3 H
低亮 Low	25 LM	25 M	116 H
泛光 Floodlight			
高亮 High	480 LM	30 M	6.5 H
低亮 Low	90 LM	13 M	29 H

* 参数和图片仅供参考,最终解释权归宁波山力士所有
 * The parameters above are only for reference,also the final interpretation right belongs to SUNREI.

L800

Max 800 Lumens



- 电源:3.7V/4500mAh/16.5Wh
- 灯珠:LED
- USB输入:5V-2A
- 充电时间:3H
- 防尘防水级别:IP65
- 产品尺寸:160X125X53mm (带底座)
- 重量:232g (带底座) / 202g (不带底座)
- Power Source:3.7V/4500mAh/16.5Wh
- Light Source:LED
- USB Input:5V-2A
- Charging Time:3H
- IP65
- Size:160X125X53mm (Basement)
- Weight:232g (Basement) / 202g (Basement excluded)



中亮 Middle	280 LM	22 M	10 H
高亮 High	800 LM	38 M	5 H
低亮 Low	20 LM	5 M	145 H

* 参数和图片仅供参考,最终解释权归宁波山力士所有
 * The parameters above are only for reference,also the final interpretation right belongs to SUNREI.




可拆卸快挂设计 Detachable hanging design
 吸磁设计 Magnet
 充电触点 Charging contact



L550

Max 550 Lumens

- 电源:3.7V/2000mAh/7.4Wh
- 灯珠:COB双色(红/白)+白光灯珠
- USB输入:5V-1A
- 充电时间:3小时
- 防水级别:IPX5
- 产品尺寸:33x115x45mm (折叠状态)
33x270x45mm (展开状态)
- 重量:175g
- Power Source:3.7V/2000mAh/7.4Wh
- Light Source:COB (Red/White)+White LED
- USB Input:5V-1A
- Charging Time:3H
- IPX5
- Size:33x115x45mm (Folded size)
33x270x45mm (Expand size)
- Weight:175g



泛光 Floodlight			
中亮 Middle	220 LM	20 M	4 H
高亮 High	550 LM	31 M	2.5 H
低亮 Low	22 LM	6 M	35 H
红光高亮 High	30 LM	-	7 H
红光频闪 Strobe	-	-	-
透光 Focus light			
中亮 Middle	40 LM	9 M	16 H
高亮 High	80 LM	12 M	8 H

* 参数和图片仅供参考,最终解释权归宁波山力士所有
 * The parameters above are only for reference,also the final interpretation right belongs to SUNREI.



W1800 Max 1800 Lumens

- 多色温可调
- 电源:7.4V/5000mAh/37Wh
- 灯珠:COB
- DC输入:15V-1.5A
- USB输出:5V-2A
- 充电时间:3小时
- 防尘防水级别:IP65
- 产品尺寸:188x164x78mm
- 重量:750g
- Multi-color temperature adjustable
- Power Source:7.4V/5000mAh/37Wh
- Light Source:COB
- DC Input:15V-1.5A
- USB Output:5V-2A
- Charging Time:3H
- IP65
- Size:188x164x78mm
- Weight:750g

低亮 Low	180 LM	17M	26 H
中亮 Middle	450 LM	27M	12 H
高亮 High	850 LM	38M	4.7 H
极亮 Extremely bright	1800 LM	55M	1.7 H

* 参数和图片仅供参考,最终解释权归宁波山力士所有
* The parameters above are only for reference,also the final interpretation right belongs to SUNREI.



提手设计,方便提拿
Handle design for easy handling

底部磁铁
Magnet

快挂设计
Hook

W1800M Max 1800 Lumens



- 电源:7.4V/5000mAh/37Wh
- 灯珠:COB
- DC输入:15V-1.5A
- USB输出:5V-2A
- 充电时间:3小时
- 防尘防水级别:IP65
- 产品尺寸:187x161x96mm(折叠状态)
- 重量:1357g
- Power Source:7.4V/5000mAh/37Wh
- Light Source:COB
- DC Input:15V-1.5A
- USB Output:5V-2A
- Charging Time:3H
- IP65
- Size:187x161x96mm(Folded size)
- Weight:1357g

低亮 Low	260 LM	21 M	48 H
中亮 Middle	520 LM	30 M	20 H
高亮 High	1000 LM	41 LM	9 H
极亮 Extremely bright	1800 LM	58 LM	6.5 H

* 参数和图片仅供参考,最终解释权归宁波山力士所有
* The parameters above are only for reference,also the final interpretation right belongs to SUNREI.



提手设计,方便提拿
Handle design for easy handling

三角架支撑孔
Can be adapted to a tripod

180°可旋转
180°rotate


W3600 Max 3600 Lumens



- 电源:7.4V/10000mAh/74Wh
- 灯珠:COB
- DC输入:15V-1.5A
- USB输出:5V-2A
- 充电时间:6小时
- 防尘防水级别:IP65
- 产品尺寸:187x161x96mm(折叠状态)
- 重量:1490g
- Power Source:7.4V/10000mAh/74Wh
- Light Source:COB
- DC Input:15V-1.5A
- USB Output:5V-2A
- Charging Time:5H
- IP65
- Size:187x161x96mm(Folded size)
- Weight:1490g

低亮 Low	260 LM	21 M	48 H
中亮 Middle	520 LM	30 M	20 H
高亮 High	1000 LM	41 LM	9 H
极亮 Extremely bright	1800 LM	58 LM	6.5 H

(单边数据 One side index)
* 参数和图片仅供参考,最终解释权归宁波山力士所有
* The parameters above are only for reference,also the final interpretation right belongs to SUNREI.



提手设计,方便提拿
Handle design for easy handling

180°可旋转
180°rotate

三角架支撑孔
Can be adapted to a tripod



C1500 Max 1500 Lumens

- 电源:3.7V/13500mAh/50Wh
- 灯珠:COB双色温+红光LED
- USB输出:5V-3A,9V-2A
- USB输入:5V-3A,9V-2A,12V-1A
- 充电时间:5.5-6H
- 防水级别:IPX5
- 产品尺寸:98x111x44.5mm
- 重量:450g

- Power Source:3.7V/13500mAh/50Wh
- Light Source:COB+ RED LED
- USB Output:5V-3A,9V-2A
- USB Input:5V-3A,9V-2A,12V-1A
- Charging Time:5.5-6H
- IPX5
- Size:98x111x44.5mm
- Weight:450g

低亮 Low	120 LM	13 M	50 H
中亮 Middle	300 LM	21 M	21 H
高亮 High	750 LM	33 M	8 H
极亮 Extremely bright	1600 LM	47 M	5.5 H
红光 RED LED	6 LM	-	195 H
红光频闪 Strobe	-	-	-

* 参数和图片仅供参考,最终解释权归宁波山力士所有
* The parameters above are only for reference,also the final interpretation right belongs to SUNREI.



180°可旋转
180°rotate

底部磁铁
Magnet

快挂设计
Hook

营地灯

Camp light



Phantom

Max 500 Lumens

- 电源:3.7V/10400mAh
- 灯珠: LED+暖白灯珠
- USB输出:5V3A、9V2A、12V1A
- 防水等级:IPX5
- 续航时间:6小时
- 产品尺寸:182*91*91mm

- Power Source:3.7V/10400mAh
- Light Source:LED+Warm white LED
- USB Output:5V3A、9V2A、12V1A
- Water resistance:IPX5
- Endurance time:6H
- Size:182*91*91mm

橙光 Orange light

低亮 Low	7LM	—	—
高亮 High	60 LM	—	—
暖白光 warm white			
低亮 Low	140 LM	—	—
高亮 High	500 LM	—	—

• 参数和图片仅供参考,最终解释权归宁波山力士所有
 • The parameters above are only for reference,also the final interpretation right belongs to SUNREI.



Mei

Max 300 Lumens

- 电源:3.7V/5200mAh
- 灯珠: LED+暖白灯珠
- USB输出:5V3A、9V2A、12V1A
- 防水等级:IPX5
- 产品尺寸:253*99.5*91.6mm

- Power Source:3.7V/5200mAh
- Light Source:LED+Warm white LED
- USB Output:5V3A、9V2A、12V1A
- Water resistance:IPX5
- Size:253*99.5*91.6mm

橙光 Orange light

低亮 Low	10 LM	—	—
高亮 High	50 LM	—	—
暖白光 warm white			
低亮 Low	60 LM	—	—
高亮 High	300 LM	—	—

• 参数和图片仅供参考,最终解释权归宁波山力士所有
 • The parameters above are only for reference,also the final interpretation right belongs to SUNREI.





- USB开关设计, 适用所有移动电源和USB充电器
- 双面USB接口
- 强磁吸附式设计, 可吸附在任何铁件表面
- 快挂式吊环设计
- 电源: USB外接电源
- 灯珠: 1*白光LED
- 线长: 2.5米
- 防水级别: IPX5

- USB Switch
- Two sides USB port design
- Insert magnetic for easy adhesive
- Double Hook easy for hanging
- Power source: Portable power bank
- Light source: 1*White LED
- Cable length: 2.5M
- Water resistance: IPX5

C9Pro
Max 750 Lumens



白光 White	☀️	☞	🕒
中亮 Middle	150 LM	—	—
高亮 High	750 LM	—	—
低亮 Low	50 LM	—	—

* 参数和图片仅供参考, 最终解释权归宁波山力士所有
* The parameters above are only for reference, also the final interpretation right belongs to SUNREL.

- 电源: 3.7V/10400mAh
- 灯珠: 3*LED灯丝+24*暖白灯珠
- 防水等级: IPX5
- 充电时间: 3.5小时 (5V/3A)
- 产品尺寸: 132*132*288
- 重量: 1200g
- Power Source: 10400mAh
- Light Source: 3*LED+24*Warm white LED
- Water resistance: IPX5
- Charging Time: 3.5H(5V/3A)
- Size: 132*132*288
- Weight: 1200g

Starfield1
Max 550 Lumens



橙光 Orange light	☀️	☞	🕒
低亮 Low	10 LM	3 M	137 H
高亮 High	40 LM	8 M	40 H
暖白光 warm white	☀️	☞	🕒
低亮 Low	150 LM	5 M	24 H
高亮 High	550 LM	10 M	6 H

* 参数和图片仅供参考, 最终解释权归宁波山力士所有
* The parameters above are only for reference, also the final interpretation right belongs to SUNREL.



Starfield3-Li
Max 230 Lumens

Starfield3-Li	☀️	☞	🕒
橙光 Orange light	☀️	☞	🕒
低亮 Low	10 LM	4 M	105 H
高亮 High	55 LM	7 M	19 H
暖白光 warm white	☀️	☞	🕒
低亮 Low	65 LM	4 M	19 H
高亮 High	230 LM	6 M	5 H

* 参数和图片仅供参考, 最终解释权归宁波山力士所有
* The parameters above are only for reference, also the final interpretation right belongs to SUNREL.

- 电源: 3.7V/5000mAh
- 灯珠: 3*LED灯丝+8*暖白灯珠
- 防水级别: IPX5
- 充电时间: 5.5小时 (5V/1A)
- 重量: 590g
- Power Source: 5000mAh
- Light Source: 3*LED+8*Warm white LED
- Water resistance: IPX5
- Charging Time: 5.5H(5V/1A)
- Weight: 590g

- 电源: 三节五号电池
- 灯珠: 3*LED灯丝+8*暖白灯珠
- 防水级别: IPX5
- 重量: 570g
- Power Source: 3*AA
- Light Source: 1*LED+1*Warm white LED
- Water resistance: IPX5
- Weight: 570g

Starfield3	☀️	☞	🕒
橙光 Orange light	☀️	☞	🕒
低亮 Low	14 LM	4 M	78 H
高亮 High	60 LM	8 M	9 H
暖白光 warm white	☀️	☞	🕒
低亮 Low	65 LM	4 M	17H
高亮 High	190 LM	5 M	4 H

* 参数和图片仅供参考, 最终解释权归宁波山力士所有
* The parameters above are only for reference, also the final interpretation right belongs to SUNREL.



Pinecone1
Max 400 Lumens



- 电源: 3.7V/5000mAh
- 灯珠: 1*LED灯丝+1*暖白灯珠
- 防水级别: IPX5
- 充电时间: 3H
- 产品尺寸: 214*100*100mm
- 重量: 356g
- Power Source: 3.7V/5000mAh
- Light Source: 1*LED+1*Warm white LED
- Water resistance: IPX5
- Charging Time: 3H
- Size: 214*100*100mm
- Weight: 356g

橙光 Orange light	☀️	☞	🕒
低亮 Low	10 LM	3 M	153 H
高亮 High	100 LM	6 M	19 H
暖白光 warm white	☀️	☞	🕒
低亮 Low	120 LM	4 M	16H
高亮 High	400 LM	7 M	4.5 H

* 参数和图片仅供参考, 最终解释权归宁波山力士所有
* The parameters above are only for reference, also the final interpretation right belongs to SUNREL.



Pinecone3 Max 200 Lumens

- 电源:3.7V/2600mAh
- 灯珠:白光LED
- 防水等级:IPX5
- 充电时间:3.5小时
- 续航时间:102小时
- 输入:5V-1A
- 重量:204g
- Power Source:3.7V/2600mAh
- Light Source:LED
- Water resistance:IPX5
- Charging Time:3.5H
- Endurance time:102H
- input:5V-1A
- Weight:204g



白光 White	🌟	🌕	🕒
低亮 Low	10 LM	2 M	102 H
中亮 Middle	100 LM	5 M	10 H
高亮 High	200 LM	7 M	7 H
红光 Red Light			
高亮 High	20 LM	—	12 H
频闪 Strobe	—	—	—


• 参数和圖片仅供参考,最終解釋權歸山力士所有
• The parameters above are only for reference, also the final interpretation right belongs to SUNREI.



CC-MUSIC Max 180 Lumens



- 蓝牙版本:4.2
- 内置磁铁,产品能吸附于任何铁件上
- 小巧轻便
- 灯珠:白光LED
- 电源:3.7V/3200mAh
- 充电时间:4.5H (5V/1A)
- 信号范围:约10m
- 防水级别:IPX4
- 产品尺寸:73x73x65mm
- 重量:196g



- Bluetooth version: 4.2
- The lantern can be adsorbed on metal parts with its installed magnet basement
- Small and lightweight
- LED:White LED
- Power source: 3.7V/3200mAh
- Charging Time: 4.5H (5V/1A)
- Signal range: around 10M
- Water resistance: IPX4
- Size: 73x73x65mm
- Weight: 196g


白光 White	🌟	🌕	🕒
低亮 Low	7 LM	3 M	105 H
中亮 Middle	60 LM	7 M	18 H
高亮 High	180 LM	12 M	9 H

• 参数和圖片仅供参考,最終解釋權歸山力士所有
• The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

CC-MUSIC S Max 390 Lumens



- 蓝牙版本:4.2
- 内置磁铁,产品能吸附于任何铁件上
- 6600mAh锂电池,具有充电宝功能
- 灯珠:白光LED
- 电源:3.7V/6600mAh
- 充电时间:8H (5V/1A)
- USB输出:5V-1A
- 信号范围:约10M
- 防水级别:IPX4
- 产品尺寸:70x70x83mm
- 重量:294g



- Bluetooth version: 4.2
- The lantern can be adsorbed on metal parts
- Installed 6600mAh Li-battery, can be used as power bank
- LED: White LED
- Power Source:3.7V/6600mAh
- Charging Time: 8H (5V/1A)
- USB output: 5V-1A
- Signal range: around 10M
- Water resistance: IPX4
- Size: 70x70x83mm
- Weight: 294g


白光 White	🌟	🌕	🕒
低亮 Low	12 LM	4 M	157 H
中亮 Middle	160 LM	12 M	14 H
高亮 High	390 LM	18 M	8 H

• 参数和圖片仅供参考,最終解釋權歸山力士所有
• The parameters above are only for reference, also the final interpretation right belongs to SUNREI.



CC-MUSIC SE Max 180 Lumens

- 蓝牙版本:4.2
- 内置磁铁,产品能吸附于任何铁件上
- 电源:3.7V/3200mAh
- 灯珠:白光LED
- 充电时间:4.5H (5V/1A)
- 信号范围:约10m
- 防水级别:IPX4
- 产品尺寸:74x74x65mm
- 重量:196g



- Bluetooth Version: 4.2
- The lantern can be adsorbed on metal parts
- Power Source: 3.7V/3200mAh
- LED: White LED
- Charging Time: 4.5H (5V/1A)
- Signal range: around 10M
- Water resistance: IPX4
- Size: 74x74x65mm
- Weight: 196g

白光 White	🌟	🌕	🕒
低亮 Low	7 LM	3 M	105 H
中亮 Middle	60 LM	7 M	18 H
高亮 High	180 LM	12 M	9 H

• 参数和圖片仅供参考,最終解釋權歸山力士所有
• The parameters above are only for reference, also the final interpretation right belongs to SUNREI.



- 电源:3.7V/5200mAh
- 灯珠: Orange LED
- 防水等级:IPX5
- 产品尺寸:181*91*91mm
- Power Source:3.7V/5200mAh
- Light Source:Orange LED
- Water resistance:IPX5
- Size:181*91*91mm

Green Light Mini

Max 300 Lumens



橙光 Orange light				
低亮 Low		10 LM	—	—
高亮 High		300 LM	—	—

*参数和图片仅供参考,最终以解释权归宁波山力士所有
 *The parameters above are only for reference,also the final interpretation right belongs to SUNREL.



- 电源:4节5号电池
- 灯珠:1*白光LED
- 额定功率:3.3W
- 防水级别:IPX4
- 产品尺寸:113x113x245mm
- 重量:321g(不含电池)
-
- Power source:4*AA
- Light Source:1*White LED
- Rated voltage:3.3W
- Water resistance:IPX4
- Size:113x113x245mm
- Weight:321g(Without batteries)

Green Light-SE

Max 180 Lumens



低亮 Low		15 LM	4 M	120 H
高亮 High		180 LM	18 M	6 H

*参数和图片仅供参考,最终以解释权归宁波山力士所有
 *The parameters above are only for reference,also the final interpretation right belongs to SUNREL.



- 电源:3.7V/5200mAh
- 灯珠:2*LED灯丝+8*暖白灯珠
- 防水级别:IPX4
- 充电时间:5.5小时
- 重量:523g
-
- Power source:3.7V/5200mAh
- Light Source:2*LED+8*Warm white LED
- Water resistance:IPX4
- Charging time:5.5 H
- Weight:523g

Green Light Plus

Max 300 Lumens



橙光 Orange light				
低亮 Low		1 LM	2 M	>600 H
高亮 High		50 LM	5 M	35 H
暖白光 warm white				
低亮 Low		100 LM	5 M	27 H
高亮 High		285 LM	7 M	10 H

*参数和图片仅供参考,最终以解释权归宁波山力士所有
 *The parameters above are only for reference,also the final interpretation right belongs to SUNREL.



- 电源:3.7V/5200mAh
- 灯珠:1*暖白光LED+1*橙光LED
- 充电时间:7小时(5V/1500mA)
- 防水级别:IPX4
- 重量:394g
-
- Power source:3.7V/5200mAh
- Light Source:1* warm white LED+1*Orange LED
- Charging Time:7H(5V/1500mA)
- Water resistance:IPX4
- Weight:394g

Green Light 2021

Max 180 Lumens



橙光 Orange light				
低亮 Low		2.5 LM	3 M	366 H
高亮 High		70 LM	6 M	20 H
暖白光 warm white				
低亮 Low		100 LM	8 M	21 H
高亮 High		180 LM	11 M	11.5 H

*参数和图片仅供参考,最终以解释权归宁波山力士所有
 *The parameters above are only for reference,also the final interpretation right belongs to SUNREL.

Mosquito lamp

Max 45 Lumens



- 电源:3.7V/2600mAh
- 灯珠:1*白光灯珠+紫光灯珠
- 充电时间:3H (5V/1.5A)
- 产品尺寸:105.3*113.5mm
- 重量:289g
- Power Source: 3.7V/2600mAh
- Light Source: 1*White LED+purple LED
- Charging Time: 3H (5V/1.5A)
- Size: 105.3*113.5mm
- Weight: 289g



露营模式 Camping mode	🌞	🌙	🕒
低亮 Low	5 LM	—	125 H
高亮 High	45 LM	—	14 H
驱蚊模式 mosquito-proof			
低速 Low speed	—	—	45H
灭蚊模式 anti-mosquito			
高速+紫光 high speed+UV	—	—	3.5H

* 参数和圖片仅供参考,最終解释权归山力士所有
* The parameters above are only for reference, also the final interpretation right belongs to SUNREI



NOX

Max 94 Lumens




- 电源:3.7V/1800mAh, 3节7号电池
- 灯珠:6*白光灯珠+1*红光灯珠
- 防水级别:IPX6
- 产品尺寸:61x50x50mm
- 重量:46.5g(不含电池)
- Power Source:3.7V/1800mAh, 3*AAA
- Light Source:6*White LEDs+1*Red LED
- IPX6
- Size:61x50x50mm
- Weight:46.5g (Without battery)



白光 White light	🌞	🌙	1800mAh	3AAA
高亮 High	94 LM	8 M	6 H	4 H
低亮 Low	5 LM	2 M	90 H	80 H
红光 Red light				
高亮 High	2 LM	-	98 H	85 H
频闪 Strobe	—	—	480 H	296 H

* 参数和圖片仅供参考,最終解释权归山力士所有
* The parameters above are only for reference, also the final interpretation right belongs to SUNREI



硅胶按钮
Silicone button



便捷挂绳
Lanyard design

CC5

Max 840 Lumens

- USB接口充电,可做移动电源应急使用
- 配有遥控,方便控制露营灯开关
- 电源:3.7V/9900mAh
- 灯珠:白光灯珠+红光灯珠
- 充电时间:4.8H (5V/3A)
3.8H(9V/2A)
- 防水级别 IPX5

- It can be used as power bank for cell phones, cameras or other digital devices
- Infrared remote controller
- Power Source: 3.7V/9900mAh
- Light Source: White LED+Red LED
- Charging Time: 4.8H (5V/3A)
3.8H(9V/2A)
- Water resistance: IPX5



露营模式 Camping mode	🌞	🌙	🕒
中亮 Middle	440 LM	20 M	10 H
高亮 High	840 LM	30 M	7 H
低亮 Low	30 LM	5 M	215 H
频闪 Strobe	—	—	—
红光 Red Light			
高亮 High	35 LM	—	39 H
频闪 Strobe	—	—	—

* 参数和圖片仅供参考,最終解释权归山力士所有
* The parameters above are only for reference, also the final interpretation right belongs to SUNREI

钓鱼灯

Fishing light



H300

Max 300 Lumens

- 0-180°角度调节, 可根据需求调节最佳角度
- 智能感应设计, 操作便捷灵敏, 挥手即可开关
- 电源: 3.7V/1800mAh
- 灯珠: CREE+红光灯珠
- 感应距离: ≤15厘米
- 防水级别: IPX5

- 0-180°angle adjusting design, easier to get the best lighting illumination
- Motion sensor for easy operation
- Power source: 3.7V/1800mAh
- LED: CREE+Red LED
- Sensing distance: ≤15cm
- Water resistance: IPX5

泛光 Flood light	☀️	🔦	🕒
中亮 Middle	10 LM	-	-
高亮 High	50 LM	-	-
远光 Focus light	☀️	🔦	🕒
中亮 Middle	100 LM	-	-
高亮 High	300 LM	-	-
红光 Red Light	☀️	🔦	🕒
高亮 High	-	-	-
频闪 Low	🔴🔴🔴🔴	-	-

(点击感应模式任意键, 长按感应键进入感应模式)
(Click sensor button to sensor mode when light on)

• 参数和图片仅供参考, 最终解释权归宁波山力士所有
• The parameters above are only for reference, also the final interpretation right belongs to SUNREI.



H150 Pro

Max 150 Lumens



- 0-90°角度调节, 可根据需求调节最佳角度
- 智能感应设计, 操作便捷灵敏, 挥手即可开关
- 电源: 3.7V/600mAh
- 充电时间: 1.7小时
- 灯珠: COB+红光灯珠
- 感应距离: ≤15厘米
- 防水级别: IPX5

- 0-90°angle adjusting design easier to get the best lighting illumination
- Motion sensor for easy operation
- Power source: 3.7V/600mAh
- Charging Time: 1.7H
- LED: COB (6500K)+Red LED
- Sensing distance: ≤15cm
- Water resistance: IPX5


透光 Focus light	☀️	🔦	🕒
中亮 Middle	70 LM	11 M	4 H
高亮 High	150 LM	19 M	2 H
低亮 Low	9 LM	4 M	24 H
红光 Red Light	☀️	🔦	🕒
高亮 High	4 LM	-	15 H
频闪 Low	🔴🔴🔴🔴	-	-

• 参数和图片仅供参考, 最终解释权归宁波山力士所有
The parameters above are only for reference, also the final interpretation right belongs to SUNREI.





H150
Max 150 Lumens



- 0-90°角度调节, 可根据需求调节最佳角度
 - 智能感应设计, 操作便捷灵敏, 挥手即可开关
 - 电源: 3.7V/600mAh
 - 灯珠: COB+红光灯珠
 - 感应距离: ≤15厘米
 - 防水级别: IPX5
 - 产品尺寸: 60x50.5x23.8mm
 - 重量: 38.5g
- 0-90°angle adjusting design, easier to get the best lighting illumination
 - Motion sensor for easy operation
 - Power source: 3.7V/600mAh
 - Sensing distance: ≤15cm
 - LED: COB+Red LED
 - Water resistance: IPX5
 - Size: 60x50.5x23.8mm
 - Weight: 38.5g

远光 Focus light			
中亮 Middle	70 LM	11 M	4 H
高亮 High	150 LM	19 M	2 H
低亮 Low	9 LM	4 M	24 H
红光 Red Light			
高亮 High	4 LM	-	15 H
频闪 Low	*****	-	-

(产品使用模式任意键, 轻按感应键进入感应模式)
(Click sensor button to sensor mode when light on)
*参数和圖片仅供参考, 最終解釋權歸山力士所有
*The parameters above are only for reference, also the final interpretation right belongs to SUNREI.



H100
Max 100 Lumens



- 电源: 3.7V/500mAh
 - 灯珠: COB双色(红/白) (6500K)
 - USB输入: 5V-0.5A
 - 充电时间: 1.5小时
 - 感应距离: ≤15厘米
 - 防水级别: IPX5
 - 产品尺寸: 60x50.5x22.4mm
 - 重量: 38.5g
- Power Source: 3.7V/500mAh
 - Light Source: COB (Red/White) (6500K)
 - USB Input: 5V-0.5A
 - Charging Time: 1.5H
 - Sensing distance: ≤15cm
 - IPX5
 - Size: 60x50.5x22.4mm
 - Weight: 38.5g

远光 Focus light			
中亮 Middle	45 LM	9 M	5 H
高亮 High	100 LM	15 M	4 H
低亮 Low	6 LM	3 M	27 H
红光 Red			
高亮 High	4 LM	-	18 H
频闪 Strobe	*****	-	-

(产品使用模式任意键, 轻按感应键进入感应模式)
(Click sensor button to sensor mode when light on)
*参数和圖片仅供参考, 最終解釋權歸山力士所有
*The parameters above are only for reference, also the final interpretation right belongs to SUNREI.



H120Pro
Max 120 Lumens

远光 Focus light			
高亮 High	120 LM	37 M	3 H
低亮 Low	48 LM	24 M	5.5 H
感应 Sensing light	20 LM	17 M	13.5 H

(产品使用模式任意键, 轻按感应键进入感应模式)
(Click sensor button to sensor mode when light on)
*参数和圖片仅供参考, 最終解釋權歸山力士所有
*The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

- 0-130°角度调节, 可根据需求调节最佳角度
 - 智能感应设计, 操作便捷灵敏, 挥手即可开关
 - 充电高效安全, 座充、线充两种充电方式
 - 电源: 主体5V/500mAh, 电池盒5V/600mAh
 - 灯珠: 1*LED
 - 充电时间: 主体1.5H(5V/500mA), 电池盒1.5(5V/600mA)
 - 感应距离: ≤15厘米
 - 防水级别: IPX5
 - 产品尺寸: 主体48x39.5x26mm, 带电池盒62x56x30mm
 - 重量: 主体27g, 电池盒40.5g
- 0-130°angle adjusting design, easier to get the best lighting illumination
 - Motion sensor for easy operation
 - USB and basement two recharging ways
 - Power source: Lamp body 5V/500mAh, battery case 5V/600mAh
 - LED: 1*LED
 - Charging Time: Lamp body 1.5H(5V/500mA), battery case 1.5H(5V/600mA)
 - Sensing distance: ≤15cm
 - Water resistance: IPX5
 - Size: Lamp body 48x39.5x26mm, Lamp with battery case 62x56x30mm
 - Weight: Lamp body 27g, battery case 40.5g



H50
Max 55 Lumens



- 电源: 3.7V/500mAh
 - 灯珠: 白光灯珠(4500K)
 - USB输入: 5V-0.25A
 - 充电时间: 2.5小时
 - 感应距离: ≤15厘米
 - 防水级别: IPX5
 - 产品尺寸: 48x36x26mm
 - 重量: 25g
- Power Source: 3.7V/500mAh
 - Light Source: White LED(4500K)
 - USB Input: 5V-0.25A
 - Charging Time: 2.5H
 - Sensing distance: ≤15cm
 - IPX5
 - Size: 48x36x26mm
 - Weight: 25g


远光 Focus light			
高亮 High	55 LM	25 M	5.5 H
低亮 Low	8 LM	9 M	38 H
感应 Sensing			
低亮 Low	8 LM	9 M	29 H

*参数和圖片仅供参考, 最終解釋權歸山力士所有
*The parameters above are only for reference, also the final interpretation right belongs to SUNREI.



Poseidon MAX Max 210 Lumens

- 相机式伸缩设计
- 相机式三脚架嵌入设计
- 电源: 3.7V/13500mAh
- 灯珠: 白光灯珠+蓝光灯珠+白光灯珠
- 充电时间: 6H(5V/3A), 5.5H(9V/2A)
- USB输出: 5V/3A, 9V/2A, 12V/1A
- 防水级别: IPX5
- 产品尺寸: 121.5x115x93mm
- 重量: 745g
- Zoomable design
- Camera standard Tripod Mount hole design
- Power source: 3.7V/13500mAh
- LED: White LED+Blue LED+White LED
- Charging Time: 6H(5V/3A), 5.5H(9V/2A)
- USB output: 5V/3A, 9V/2A, 12V/1A
- Water resistance: IPX5
- Size: 121.5x115x93mm
- Weight: 745g




远光 Focus light	☀️	🔦	🕒
低亮 Low	30 LM	161 M	66 H
高亮 High	270 LM	410 M	7 H
蓝光 Blue lighting			
低亮 Low	4 LM	49 M	86 H
高亮 High	40 LM	157 M	9 H
泛光 Flood light			
高亮 High	130 LM	18 M	54 H

* 参数和图片仅供参考, 最终解释权归山力士所有
* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

Poseidon Max 320 Lumens



- 智能感应设计, 操作便捷灵敏, 挥手即可开关
- 无级调光设计
- 电源: 3.7V/1800mAh
- 灯珠: 1*CREE LED
- 感应距离: ≤15cm
- 充电时间: 2.7H (5V/1A)
- 防水级别: IPX5
- 重量: 111g
- Two sensors, wave hand to control the light
- Mode: Dimming Mode
- Power source: 3.7V/1800mAh
- LED: 1*CREE LED
- Sensing distance: ≤15cm
- Charge Time: 2.7H (5V/1A)
- Water resistance: IPX5
- Weight: 111g




泛光 Flood light	☀️	🔦	🕒
低亮 Low	10 LM	7 M	90 H
高亮 High	320 LM	42 M	4.5 H
远光 Focus light			
低亮 Low	5 LM	35 M	90 H
高亮 High	150 LM	200 M	4.5 H

(点击图片模式任意项, 长按感应按钮进入模式)
(Click sensor/button to sensor mode when light on)
* 参数和图片仅供参考, 最终解释权归山力士所有
* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

iFishing-Li Max 230 Lumens



- 智能感应设计, 操作便捷灵敏, 挥手即可开关
- 感应距离: ≤15cm
- 体积小巧, 携带方便
- 电源: 3.7V/1800mAh
- 灯珠: 1*CREE LED
- 充电时间: 2.8H (5V/1A)
- 防水级别: IPX5
- 产品尺寸: 63x37x42mm
- 重量: 89g
- Two sensors, wave hand to control the light
- Sensing distance: ≤15cm
- Compact and lightweight
- Power Source: 3.7V/1800mAh
- Light Source: 1*CREE LED
- Charging Time: 2.8H (5V/1A)
- Water resistance: IPX5
- Size: 63x37x42mm
- Weight: 89g



远光 Focus light	☀️	🔦	🕒
中亮 Middle	70 LM	46 M	18 H
高亮 High	230 LM	85 M	5.6 H
低亮 Low	9 LM	15 M	110 H
感应 Sensing light			
高亮 High	140 LM	65 M	5.6 H

* 参数和图片仅供参考, 最终解释权归山力士所有
* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.



iFishing Max 230 Lumens

- 智能感应设计, 操作便捷灵敏, 挥手即可开关
- 感应距离: ≤15cm
- 体积小巧, 携带方便
- 电源: 3节7号电池
- 灯珠: 1*CREE LED
- 防水级别: IPX6
- 产品尺寸: 63x37x45mm
- 重量: 61g (不含电池)
- Two sensors, wave hand to control the light
- Sensing distance: ≤15cm
- Compact and lightweight
- Power Source: 3*AAA
- Light Source: 1*CREE LED(4500K)
- Water resistance: IPX6
- Size: 63x37x45mm
- Weight: 61g (without batteries)



远光 Focus light	☀️	🔦	🕒
中亮 Middle	70 LM	46 LM	18 H
高亮 High	230 LM	85 LM	5.5 H
低亮 Low	9 LM	15 LM	110 H
感应 Sensing light			
高亮 High	140 LM	65 LM	5.5 H

* 参数和图片仅供参考, 最终解释权归山力士所有
* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.



- 智能感应设计, 操作便捷灵敏, 挥手即可开关
- 电源: 2000mAh
- 灯珠: 白光灯珠
- 充电时间: 2.5小时
- 防水等级: IPX5
- 重量: 140g
- 20-60°C
- Two sensors, wave hand to control the light
- Power Source: 2000mAh
- Light Source: white LED
- Charging Time: 2.5H
- IPX5
- Weight: 140g

PoseidonS1

Max 330 Lumens



远光(Focus light)

高亮 High	330 LM	250 M	5 H
低亮 Low	18 LM	60 M	65 H

*参数和图仅供参考, 最终解释权归山力士所有
*The parameters above are only for reference, also the final interpretation right belongs to SUREL.



- 智能感应设计, 操作便捷灵敏, 挥手即可开关
- 电源: 3.7V/2600mAh
- 灯珠: 1* LED+1*COB
- 充电时间: 3小时 (5V/1A)
- 防水等级: IPX5
- 重量: 142g
- 20-60°C
- Two sensors, wave hand to control the light
- Power Source: 3.7V/2600mAh
- Light Source: 1* LED+1*COB
- Charging Time: 3H(5V/1A)
- IPX5
- Weight: 142g

PoseidonS2

Max 450 Lumens



远光(Focus light)

高亮 High	450 LM	174 M	5 H
低亮 Low	22 LM	39 M	71 H

泛光 Flood light

高亮 High	210 LM	18 M	6.5 H
低亮 Low	20 LM	5 M	59 H



头灯

Head mounted light



MUYE3

Max 570 Lumens

- 电源:5V/3200mAh
- 灯珠:CREE LED+红光灯珠
- USB输入:5V-1000mA
- 充电时间:4小时
- 防水级别:IPX5
- 重量:140g

- Power Source:5V/3200mAh
- Light Source:CREE LED+Red LED
- USB Input:5V-1000mA
- Charging Time:4H
- IPX5
- Weight:140



远光(Focus light)	🌟	🔦	🕒
低亮 Low	33 LM	35 M	65 H
高亮 High	330 LM	110 M	7 H
泛光(Floodlight)			
低亮 Low	28 LM	6 M	86 H
高亮 High	280 LM	20 M	9 H
远光+泛光(Focus light + Floodlight)			
低亮 Low	55 LM	34 M	44 H
高亮 High	570 LM	110 M	4 H
红光(Red light)			
高亮 High	1 LM	—	71 H
频闪 Strobe	—	—	—

• 参数和图片仅供参考,最终解释权归宁波山力士所有
 • The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

MUYE2

Max 330 Lumens



- 电源:1*18650(测试用1节带保护板的2600mAh 18650锂电池)
- 灯珠:CREE LED
- USB输入:5V-1A
- 充电时间:3.5小时
- 感应距离:≤15cm
- 防水级别:IPX5
- 产品尺寸:65x32x35mm
- 重量:115g(不含电池)

- Power Source:1*18650 (Tested by 1*2600mAh LI-battery with protection board)
- Light Source:CREE LED (6500K)
- USB Input:5V-1A
- Charging Time:3.5H
- Sensing distance: ≤15cm
- IPX5
- Size:65x32x35mm
- Weight:115g(Without battery)



	🌟	🔦	🕒
中亮 Middle	60-100 LM	30-60 M	9 H
高亮 High	190-330 LM	55-100 M	4 H
低亮 Low	5-9 LM	10-17 M	96 H
SOS	—	—	—

(点亮照明模式任意档,轻按感应键进入感应模式)
 (Click sensor button to sensor mode when light on)
 • 参数和图片仅供参考,最终解释权归宁波山力士所有
 • The parameters above are only for reference, also the final interpretation right belongs to SUNREI.



MUYE1

Max 440 Lumens

- 电源:3.7V/1800mAh
- 灯珠:CREE LED+白光灯珠
- USB输入:5V-1A
- 充电时间:2.3小时
- 感应距离:≤15cm
- 防水级别:IPX5
- 产品尺寸:60x39x42mm
- 重量:93.5g
- Power Source:3.7V/1800mAh
- Light Source:CREE LED+White LED
- USB Input:5V-1A
- Charging Time:2.3H
- Sensing distance:≤15cm
- IPX5
- Size:60x39x42mm
- Weight:93.5g



远光 Focus light	☀️	☞	🕒
中亮 Middle	100 LM	55 M	8 H
高亮 High	330 LM	99 M	3.7 H
远光+泛光 Focus light+Flood light			
高亮 High	440 LM	100 M	2.5 H
泛光 Flood light			
高亮 High	120 LM	16 M	7.7 H
低亮 Low	10 LM	5 M	70 H

(点击感应按钮任意键, 轻触感应键进入感应模式)
 (Click sensor/button to sensor mode when light on)
 * 参数和图片仅供参考, 最终解释权归山力士所有
 * The parameters above are only for reference, also the final interpretation right belongs to SUNREL

YoudoX_(sensor)

Max 300 Lumens



- 智能感应设计, 操作更便捷灵敏, 挥手即可开关
- 感应距离: ≤15 cm
- 电源: 3节7号电池
- 灯珠: 1*CREE LED+1*白光灯珠
- 防水级别: IPX8
- 产品尺寸: 60x35x44mm
- 重量: 69g (不含电池)

- Two sensors, wave hand to control the light
- Sensing distance: ≤15 cm
- Power Source: 3*AAA
- Light Source: 1*CREE LED+1*White LED
- Waterproof: IPX8
- Size: 60x35x44mm
- Weight: 69g (without batteries)



远光(Focus light)	☀️	☞	🕒
中亮 Middle	90 LM	40 M	20 H
高亮 High	235 LM	70 M	6 H
远光+泛光(Focus+Floodlight)			
高亮 High	300 LM	72 M	4 H
泛光(Floodlight)			
高亮 High	100 LM	20 M	11 H
低亮 Low	10 LM	7 M	115 H

(点击感应按钮任意键, 轻触感应键进入感应模式)
 (Click sensor/button to sensor mode when light on)
 * 参数和图片仅供参考, 最终解释权归山力士所有
 * The parameters above are only for reference, also the final interpretation right belongs to SUNREL

Youdo5

Max 215 Lumens



- 电源: 3节7号电池
- 灯珠: 1*CREE LED+2*白光灯珠+1*红光灯珠
- 防水级别: IPX7
- 产品尺寸: 60x35x44mm
- 重量: 54g (不含电池)

- Power Source: 3*AAA
- Light Source: 1*CREE LED(4500K)+2*white LEDs+1*red LED
- Water resistance: IPX7
- Size: 60x35x44mm
- Weight: 54g (without batteries)



远光(Focus light)	☀️	☞	🕒
低亮 Low	10 LM	14 M	135 H
高亮 High	215 LM	70 M	8 H
泛光(Floodlight)			
高亮 High	70 LM	8 M	17 H
红光(Red light)			
高亮 High	2 LM	—	73 H
频闪 Strobe	—	—	—
SOS SOS	—	—	—

* 参数和图片仅供参考, 最终解释权归山力士所有
 * The parameters above are only for reference, also the final interpretation right belongs to SUNREL



Youd2S

Max 195 Lumens

- 电源: 3节7号电池
- 灯珠: 1*CREE LED+2*白光灯珠
- 防水级别: IPX6
- 产品尺寸: 60x45x30mm
- 重量: 56g (不含电池)

- Power Source: 3*AAA
- Light Source: 1*CREE LED+2*White LEDs
- Water resistance: IPX6
- Size: 60x45x30mm
- Weight: 56g (without batteries)



远光 Focus light	☀️	☞	🕒
中亮 Middle	60 LM	38 M	10 H
高亮 High	195 LM	66 M	5 H
低亮 Low	9 LM	14 M	110 H
SOS	—	—	—
泛光 Floodlight			
高亮 High	30 LM	10 M	50 H
低亮 Low	9 LM	6 M	100 H
频闪 Strobe	—	—	—

* 参数和图片仅供参考, 最终解释权归山力士所有
 * The parameters above are only for reference, also the final interpretation right belongs to SUNREL



- 电源: 1节5号电池
 - 灯珠: 1*CREE LED (4500K) + 2*白光灯珠(6500K)
 - 防水级别: IPX6
 - 产品尺寸: 64x37x31mm
 - 重量: 48g (不含电池)
- Power Source: 1*AA
 - Light Source: 1*CREE LED (4500K) + 2*White LEDs(6500K)
 - IPX6
 - Size: 64x37x31mm
 - Weight: 48g(Without battery)

REE

Max 150 Lumens



远光 Focus light	🌟	🔦	🕒
中亮 Middle	50 LM	30 M	13 H
高亮 High	155 LM	60 M	6 H
低亮 Low	5 LM	11 M	52 H
SOS	●●●●●●	-	-
泛光 Flood light			
高亮 High	40 LM	10 M	13 H
低亮 Low	15 LM	6 M	27 H
频闪 Strobe	■■■■■■	-	-

• 参数和图片仅供参考, 最终解释权归宁波山力士所有
 • The parameters above are only for reference, also the final interpretation right belongs to SUNREI.



BeBe

Max 30 Lumens

远光 Focus light	🌟	🔦	🕒
高亮 High	30 LM	25 M	8 H
红光 Red light			
中亮 Middle	2 LM	-	30 H

• 参数和图片仅供参考, 最终解释权归宁波山力士所有
 • The parameters above are only for reference, also the final interpretation right belongs to SUNREI.

- 电源: 2节7号电池
 - 灯珠: 2*白光灯珠 + 1*红光灯珠
 - 防水级别: IPX6
 - 产品尺寸: 58x34x35mm
 - 重量: 42g (不含电池)
- Power Source: 2*AAA
 - Light Source: 2*White LEDs+ 1*Red LED,
 - Water resistance: IPX6
 - Size: 58x34x35mm
 - Weight: 42g (without batteries)



- 电源: 3节7号电池
 - 灯珠: CREE LED+1*白光灯珠+1*红光灯珠
 - 防水级别: IPX8
 - 产品尺寸: 60x35x44mm
 - 重量: 67.5g (不含电池)
- Power Source: 3*AAA
 - Light Source: CREE LED+1*White LED+1*Red LED
 - IPX8
 - Size: 60x35x44mm
 - Weight: 67.5g (Without battery)

YoudoX

Max 300 Lumens

远光 Focus light	🌟	🔦	🕒
中亮 Middle	90 LM	40 M	20 H
高亮 High	235 LM	70 M	7 H
远光+泛光 Focus light+Flood light			
高亮 High	300 LM	72 M	4 H
泛光 Flood light			
高亮 High	100 LM	20 M	11 H
低亮 Low	10 LM	7 M	115 H

红光 Red light			
高亮 High	2 LM	-	66 H
频闪 Strobe	■■■■■■	-	-
SOS	●●●●●●	-	-

• 参数和图片仅供参考, 最终解释权归宁波山力士所有
 • The parameters above are only for reference, also the final interpretation right belongs to SUNREI.



- 全视角照明设计
 - 导汗型硅胶织带
 - 两侧及后侧警示红灯
 - 防眩目遮光板
 - 电源: 1节5号电池
 - 灯珠: 1*CREE LED+2*红光灯珠
 - 防水级别: IPX6
 - 产品尺寸: 64x40x32mm
 - 重量: 58g (不含电池)
- Wider-angle lighting design: Cutting lighting cup to enlarge the lighting angle
 - Sweatband
 - Side and rear caution lights
 - Anti-dazzling screen: Pull down screen to avoid light blinding others
 - Power Source: 1*AA
 - Light Source: 1*CREE LED+2*Red LED
 - Water resistance: IPX6
 - Size: 64x40x32mm
 - Weight: 58g (without battery)

Coolpal

Max 150 Lumens




远光 Focus light	🌟	🔦	🕒
中亮 Middle	65 LM	35 M	10 H
高亮 High	150 LM	60 M	7 H
低亮 Low	12 LM	15 M	15 H
红光 Red light			
频闪 Strobe	■■■■■■	-	-
尾灯 Tail light			
频闪 Strobe	■■■■■■	-	96 H

• 参数和图片仅供参考, 最终解释权归宁波山力士所有
 • The parameters above are only for reference, also the final interpretation right belongs to SUNREI.



Apollo 700 Max 700 Lumens

- 防眩目遮光板
- 全视角照明
- 电量显示功能
- 电源: 2节18650 (测试用2节带保护板的2600mAh 18650锂电池)
- 灯珠:CREE LED
- 充电时间: 4.5H(5V/1.5A)
- 防水级别: IPX6
- 产品尺寸: 71x37x42mm
- 重量: 180g(不含电池)
- Anti-dazzling screen: Pull down screen to avoid light blinding others
- Wider-angle lighting design: Cutting lighting cup to enlarge the lighting angle
- Power Indicator
- Power Source: 2*18650 (Tested by 2*2600mAh Li-battery with protection board)
- Light Source: CREE LED
- Charging Time: 4.5H(5V/1.5A)
- Water resistance: IPX6
- Size: 71x37x42mm
- Weight: 180g(Without batteries)



远光 Focus light			
低亮 Low	5 LM	10 M	260 H
高亮 High	700 LM	100 M	4 H

* 参数和图片仅供参考, 最终解释权归山力士所有
* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.



Apollo 1000 Max 1000 Lumens



- 泛光片设计: 当泛光片盖在镜片前时, 透光则会变成泛光。
- 电源: 2*18650(测试用2节带保护板的2600mAh 18650锂电池)
- 灯珠:CREE LED
- USB输入: 5V-2.1A
- 防水级别: IPX5
- 产品尺寸: 83.2x38.1x42.3mm
- 重量: 178.8g(不含电池)
- Floodlight screen design: When the screen is placed in front of the lens, it will become floodlight
- Power Source: 2*18650 (Tested by 2*2600mAh Li-battery with protection board)
- Light Source: CREE LED
- USB Input: 5V-2.1A
- IPX5
- Size: 83.2x38.1x42.3mm
- Weight: 178.8g(Without battery)

远光 Focus light			
低亮 Low	12 LM	-	148 H
高亮 High	1000 LM	-	4 H

* The parameters above are only for reference, also the final interpretation right belongs to SUNREI.



配件

Accessory



星野 营灯架

Starfield
Camp Lamp Shelf



C1500 营灯架

C1500
Camp Lamp Shelf



黑武士 帐钉灯

Vader Nail Lamp



帐杆 挂钩

Tent rod hook



V3000 三脚架

V3000 Tripod



21700锂电池
lithium battery



易充
(高效太阳能充电板)
E-Charger Solar Panel



背包灯
FUN Light



头灯织带
Headlamp headband



标示该产品采用轻量化设计

This pattern indicates the product employs light-weight design.



标示该产品内置光源为CREE大功率LED

This pattern indicates the product equips Cree LED as light source.



标示该产品内置光源为国产高亮白光LED

This pattern indicates the product equips Chinese LED as light source.



标示该产品内置光源为COB

This pattern indicates the product equips COB as light source.



标示该产品有远光和泛光两组光源

This pattern indicates the product adopts focus light /floodlight



标示该产品有主灯白光和红光两组光源

This pattern indicates the product adopts white light/red light as light sources.



标示该产品有采用两颗大功率LED

This pattern indicates the product equips 2*high-power LED as light sources.



标示该产品也可以作为手电使用

This pattern indicates the product can be also used as flashlight.



标示该产品有远光，泛光，红光三组光源

This pattern indicates the product adopts focus light / floodlight / red light



标示该产品有吸磁功能

This pattern indicates the product with magnet.



标示该产品有挥手感应功能

This pattern indicates the product with sensor function



标示该产品可适应的使用温度

This pattern indicates the working temperature of lamp



标示该产品完全防雨水或一般生活防水

This pattern indicates the product can be protected from rain or general life waterproof



标示该产品采用标准USB充放电接口设计

This pattern indicates the product equip with standard USB charge-discharge design.



标示该产品采用标准DC充电接口设计

This pattern indicates the product equips with standard DC charging port



标示该产品采用标准Type-C充电接口设计

This pattern indicates the product equips with standard Type-C charging port