



Outdoor Sports Lighting



Ningbo Sunree Outdoor Products Co.,Ltd






With the concept of excellence and innovation, Sunree has been committed to developing and producing of outdoor lighting products for many years. The product testing team provides the most valuable product development information, and continuous process improvement and capacity upgrades combine with inventory management policies & systematic management of information technology to promote efficient operations of enterprises which makes Sunree the manufacturer of numbers of international renowned outdoor brand lighting products.

Sunree brand has been listed in China since 2006, the leading design products; reliable quality and excellent service win customers' trust and love. There are series of products in the global sales like the headlamp, camping lantern, bicycle lights emergency lights and flashlights. Good reputation and impressive sales performance ensure Sunree become a leading brand of outdoor lighting in China.

Sunree schemes the global logistics, focusing on R&D technology and personnel training, to strengthen cooperation with customers. We respect for and protect intellectual property rights, participate in industry exchanges and explore effective use of resources to enhance the core competitiveness. We also care for the environment and contribute to the community on a regular basis to participate in the public interest in outdoor activities or sponsorship. In order to fully demonstrate the protection of the environment, respect for nature and a healthy human spirit, Sunree has made many efforts and distributed lots of time.



Headlamp

Mini2 Mini **Sports** Sports2 Sports2s Sports3 Youdo4 Youdo3 Youdo2 Youdo2S Ree2 Ree Youpal Coolpal Nox M-E Crius Search Search2 Zengto Zengto2 Apollo400 Apollo700



Mini2 Ultralight Li-polymer headlamp



Max 105 Lumens

- Standard USB charging port
- Power Source : Li-polymer battery (520mAh)
- Light Source: 1*CREE XPG3 S3+2*Red LEDs
- IPX5
- Weight: 35g(with battery)
- Packing : Double blister

Fo	cus light	34		0
Middle		42 LM	28 M	4.5 H
High		105 LM	45 M	2 H
Low		6 LM	9 M	21 H
	Red			
Middle		4 LM	-	13 H
Strobe	*********	-	-	-
SOS	•••	-	-	-

The Parameters above are only for reference. If there are any technical updates, please check them from products' package.

Multi-function Headlamp



Max 25 Lumens

- Power Source: 2*CR2032 button cells
- Light Source: 1*CREE LEDs+2*Red LEDs

- IPX6

- Weight: 24g(without batteries)

- Packing: Double blister

- Carton Size: 44x31x22.5cm (48pcs)

Focus light	**	0
High	25 LM 25 M	40 H
Low	4 LM 6 M	77 H
Strobe	10 LM -	96 H
Red		
Middle <		31 H
SOS ••• III•••		43 H

The Parameters above are only for reference. If there are any technical updates, please check them from products' package.

Sports Portable Headlamp

Max 37 Lumens

- Power Source : 2*AAA
- Light Source: 3*Nichia LEDs
- IDV
- Weight: 35g(without batteries)
- Packing : Double blister
- Carton Size : 42x23x45cm (48pcs)

Focus light	34		0
Low	12 LM	15 M	30 H
High	37 LM	28 M	8 H
Strobe	25 LM	-	-
The Parameters above are only for reference. If products' package.	f there are any technical	al updates, please ch	eck them from







Max 28 Lumens



- Power Source : 2*AAA - Light Source : 3*white LEDs

- IPX6

Weight: 42g(without batteries)Packing: Double blister

- Carton Size: 42x23x45cm(48pcs)



The Parameters above are only for reference. If there are any technical updates, please check them from

Sports2s Portable Headlamp



Max 30 Lumens

- Power Source : 2*AAA

- Light Source: 2*Nichia LEDs +1* Red LED

IDYE

Weight: 42g(without batteries)Packing: Window paper box

- Carton Size : 48x36x25.5cm(48pcs)

Focus light	314		0
High	30 LM	25 M	11 H
Low	4 LM	5 M	45 H
Red			
Middle <	<u> </u>	-	30 H
Strobe	-	-	120 H

The Parameters above are only for reference. If there are any technical updates, please check them fro

Sports3 Lightweight wider-angle Sportive Headlamp



Max 140 Lumens

- Wider-angle lighting device
- Constant lighting battery case
- Power Source : 2*AAA
- Light Source: 1*CREE XPG3 S2 LED +2* Red LED
- IDV6
- Weight: 42g(without batteries)
- Packing : Double blister
- Carton Size: 56x29x41cm(48pcs)

Fo	cus light	34		0
Middle		36 LM	21 M	10 H
High		140 LM	50 M	2.5 H
Low	-	4 LM	8 M	56 H
	Red			
High		-		56 H
Strobe	**********	-	-	100 H
SOS	•••	-	-	64 H

The Parameters above are only for reference. If there are any technical updates, please check them from products' package.

Youdo4 Lightweight Sportive Headlamp



Max 335 Lumens

- Cooling sheet on the top, which makes it good radiating
- Long press to switch on extremely-bright mode
- Three modes in focus lighting +
- One mode in extremely-bright + two modes in Red
- Power Source : 3*AAA
- Light Source: 1*CREE XPG3 S3 + 2*Red LEDs
- Weight: 56.5g(without batteries)
- Packing: Window paper box

	X		0
Middle(Focus)	60 LM	50 M	10 H
High(Focus)	200 LM	90 M	5 H
Low(Focus)	4 LM	10 M	120 H
High(Red)	6 LM		30H
Strobe(Red)	-	<u>-</u>	250H

The Parameters above are only for reference. If there are any technical updates, please check them from products' package.

Press and hold the button to extremely-bright mode max to 335 lumen, release to the previous state.

Youdo3 Handy Motile Rechargeable Headlamp



Max 190 Lumens

- Standard USB charging port
- Power Source : Li-polymer battery(1800mAh)
- Light Source: 1*CREE XPG3 S2 LED+2*3030 LEDs
- IPX6
- Weight: 95g
- Packing: Window paper box
- Carton Size : 48x36x25.5cm(48pcs)

24		(
60 LM	38 M	12 H
190 LM	66 M	5 H
9 LM	14 M	120 H
-	-	-
30 LM	10 M	12 H
9 LM	5 M	36 H
-	-	-
	190 LM 9 LM - 30 LM 9 LM	190 LM 66 M 9 LM 14 M

products' package.

Youdo2s Handy Motile Headlamp



Max 190 Lumens

- Performance well under -30
- Power Source: 3*AAA
- Light Source: 1*CREE XPG3 S2 LED+2*3030 LEDs
- IPX6
- Weight: 56g(without batteries)
- Packing: Window paper box
- Carton Size: 48x36x25.5cm(48pcs)

Focus light	24		(
Middle	60 LM	38 M	78 H
High	190 LM	66 M	50 H
Low	9 LM	14 M	180 H
SOS •••■•••	-	-	-
Flood light			
High <	30 LM	10 M	80 H
Low	9 LM	6 M	155 H
Strobe Strobe	-	-	-

The Parameters above are only for reference. If there are any technical updates, please check them from products' package.





Max 195 Lumens

- Power Source: 3*AAA


- Light Source: 1*CREE XPG3 S3 LED+2*White LEDs

- IPX6

- Weight: 56g(without batteries)

- Packing: Double blister

- Carton Size : 42x23x45cm(48pcs)



The Parameters above are only for reference. If there are any technical updates, please check them from products' package.

Ree2 Lightweight Motile Headlamp



Max 155 Lumens

- Performance well under -30

- Power Source : 1*AA

- Light Source: 1*CREE XPG3 S2 LED

- IPX6

- Weight: 48g(without batteries)

- Packing: Window paper box

- Carton Size : 48x36x25.5cm(48pcs)

Focus light	XK	
Middle(Focus)	50 LM	10 H
High(Focus)	155 LM	7 H
Low(Focus)	5 LM	35 H
SOS(Focus)	-	-
High(Red)	-	
Strobe(Red)	-	

The Parameters above are only for reference. If there are any technical updates, please check them from products' package.

Ree Lightweight Motile Headlamp



Max 155 Lumens

- Ultralight-weight - Power Source: 1*AA

- Light Source: 1*CREE XPG3 S2 LED+2*3030 LEDs

- IPX6

- Weight: 48q(without batteries) - Packing: Window paper box

- Carton Size: 48x36x25.5cm(48pcs)

Focus light	XK		(
Middle	50 LM	30 M	12 H
High	155 LM	60 M	4 H
Low	5 LM	11 M	35 H
SOS •••■■•••	-	-	50 H
Flood light			
High	31 LM	10 M	8 H
Low	10 LM	6 M	20 H
Strobe	-	-	75 H

The Parameters above are only for reference. If there are any technical updates, please check them from products' package.



YOUDA Handy Motile Rechargeable Headlamp



- Caution light
- Cooling sheet on the back case, which makes it good radiating
- Power Source : 2*18650
- Light Source: 1*CREE XPL V5 + 6*Red LEDs
- Weight: 162.5g(without batteries)
- Packing: Window paper box

Focus light	XK -	(
High	500 LM -	4.5 H
Low	20 LM -	120 H
Red light		
Caution light))))))		
The Decemptors about are only for reference	If there are any technical undated places of	ook thom from


Max 500 Lumens

Coolpal Trail Running Headlamp




Max 150 Lumens

- Wider-angle lighting device
- Sweatband
- Side and rear caution light
- Anti-dazzling screen
- Power Source : 1*AA
- Light Source: 1*CREE XPG3 S4 LED+
 - 2*Red LEDs
- Weight: 48g(without batteries)
- Packing: Window paper box
- Carton Size: 42.5x29.5x27.5cm(32pcs)



Gold Award



Dual Power& Dual LightSource Headlamp





Max 220 Lumens

- Wider-angle lighting device
- Dimming mode
- Power Source : 3*AAA

- Anti-dazzling screen - Battery Indicator

Focus light

Flood light

- IPX6

- Power Source: 3*AAA/1800mAh - Light Source: 2*CREE XPG3 S4 LED

- Weight: 73g(without batteries)

- Carton Size: 43.5x29x22cm(24pcs)

115 LM

220 LM

7 LM

75 LM

150 LM

15 LM

57 M

80 M

14 M

15 M

3AAA

4 H

3 H

5 H

4 H

30 H

110 H

1800mAh

9 H

6 H

130 H

10 H

7 H

50 H

(

10 H

5 H

120 H

- Packing: Window paper box

- Light Source: 1*CREE XPG3 S3 LED+
 - 2*RED LEDS
- IPX6
- Weight: 59g(without batteries) - Packing: Window paper box
- Carton Size: 43.5x27.5x2cm(24pcs)



Dual Power& Dual LightSource Headlamp

Max 175 Lumens



505			
	Red		
High		4 LM - 1	00 H
Strobe	**********	1	20 H
SOS	•••		-

X

60 LM

9 LM

42 M

73 M

15 M

bove are only for reference. If there are any technical updates, please check them from

Crius Lightweight Sportive Headlamp



Max 200 Lumens

- Extremely-bright mode
- Power Source : 2*AAA - Light Source: 1*CREE XPG3 S3 LED+
 - 2*White LEDs
- Weight: 49g(without batteries) - Packing: Window paper box
- Carton Size: 41x25.5x27cm(32pcs)
 - Flood light 35 LM 8 M 7 H Focus light 15 LM 12 M 36 H 155 LM 50 M





Search 2 Multi-function Motile Headlamp



Max 280 Lumens

Search Multi-function Motile Headlamp



Max 280 Lumens

- Constant lighting battery case
- Cooling sheet inside, which makes it good radiating
- Power Source : 4*AA
- Light Source: 1*CREE XPG3 S4 LED+2*3030 LEDs+ 2*Red LEDs
- Weight: 200g(without batteries)
- Packing : Double blister
- Carton Size: 49.5x27x38cm(48pcs)

Foo	cus light	XK		(
Middle		82 LM	70 M	20 H
High		280 LM	150 M	6 H
Flo	od light			
High		68 LM	10 M	13 H
Low	◀	3 LM	3 M	200 H
Strobe		-	-	-
	Red			
High			-	180 H
Strobe		-	-	-
SOS	•••	-	-	-
The Parameters of	have are only for reference. If t	there are any technics	l undatae nlagean	hack them from

- Constant lighting battery case
- Cooling sheet inside, which makes it good radiating
- Power Source : 2*AA
- Light Source: 1*CREE XPG3 S4 LED+2*3030 LEDs+ 2*Red LEDs
- Weight: 126g(without batteries)Packing: Double blister
- Carton Size: 49.5x27x38cm(48pcs)

		(-	,	
Fo	cus light	24		(
Middle		82 LM	75 M	16 H
High		280 LM	150 M	5 H
Flo	ood light			
High		45 LM	10 M	11 H
Low	\triangleleft	3 LM	3 M	130 H
Strobe		-	-	-
	Red			
High		-		90 H
Strobe		-	-	-
SOS	•••	-	-	-
The Parameters ab products' package.	ove are only for reference. If there are	e any technical updates, p	lease check them from	

Zengto2 Dual power & Dual light source Caving Headlamp - Cons



Max 280 Lumens

- Constant lighting battery case
- Cooling sheet inside, which makes it good radiating
- Power Source : 2*AA/1*18650
- Light Source : 1*CREE XPG3 S4 LED+1*CREE XPG3 S4 LED
- Weight: 141g(without batteries)
- Packing: Double blister
- Carton Size: 49.5x27x38cm(48pcs)

Focus light	XK	-	2AA 🕒	18650
Middle	105 LM	62 M	15 H	16 H
High	280 LM	100 M	5 H	6 H
Low	8 LM	16 M	130 H	157 H
SOS •••■■•••	105 LM	-	-	-
Flood light				
Middle	95 LM	12 M	15 H	16 H
High <	240 LM	20 M	5 H	7 H
Low	7 LM	4 M	130 H	157 H
Strobe	-	-	120 H	-
The Parameters above are only for reference. If	there are any technic	al undates please ch	ack them from	

Zengto Dual power & Dual light source Caving Headlamp



Max 280 Lumens

- Constant lighting battery case
- Cooling sheet inside, which makes it good radiating
- Power Source : 2*AA
- Light Source: 1*CREE XPG3 S4 LED+1*CREE PG3 S4 LED
- Weight: 126q(without batteries)
- Packing: Double blister
- Carton Size: 49.5x27x38cm(48pcs)

Focus light	X	-	(1)
Middle	105 LM	62 M	16 H
High	280 LM	100 M	5 H
Low	8 LM	16 M	130 H
SOS •••■•••	105 LM	-	<u> </u>
Flood light			
Middle	95 LM	12 M	16 H
High <	240 LM	20 M	5 H
Low	7 LM	4 M	130 H
Strobe Strobe	-	-	-

Apollo400 Caving Headlamp



Max 400 Lumens

- Wider-angle lighting deviceConstant lighting battery Case
- Anti-dazzling screen
- Power Source : 4*AA
- Light Source: 1*CREE XML U2 LED
- IPX6
- Weight: 184g(wihtout batteries)
- Packing: Window paper box

Focus light	X		(
Low	5 LM	9 M	220 H
High	400 LM	80 M	4.3 H
The Parameters ahove are only for reference I	If there are any technica	Lundates nieges ch	ack them from

The Parameters at products' package.

$Apollo700_{\text{Caving Headlamp}}$



Max 700 Lumens

- Wider-angle lighting device
- Constant lighting battery Case
- Anti-dazzling screen
- Power Source : 2*18650
- Light Source: 1*CREE XML U2 LED
- Weight: 180g(wihtout batteries)
- Packing: Window paper box

Focus light	*		(
Low	5 LM	10 M	260 H
High	700 LM	100 M	3 H
The Parameters above are only for reference. I	f there are any technical	updates, please che	ck them from



mping Lantern

Tower
CC4
CC3
CC2
CC
ePower
NOX Lantern
C3
C5
C7
C1








- Hanging-hook design
- The lamp cup can be screwed in two sides of lamp body
- Unique remote control
- Power Source : 6*18650
- Light Source: 1*CREE MHDE H4 LED+1*Red LED
- IPX6

SUREI:

- Weight: 534g(without batteries)
- Packing: Window paper box









CC Series Rechargeable Camping Lantern











CC3



CC

CC2

- It can be used as a power supply for cell phones, cameras or other digital devices

- Infrared remote controller

- Power Source: 3300mAh/6600mAh/9900mAh Li-polymer battery

- Light Source: 1*CREE XML2 U2 LED

- IPX5

- CC/CC2/CC3 Weight: 146g/213g/315g

- Packing: Window paper box

- CC Carton Size : 46.5x37x22cm (48pcs) -CC2\CC3 Carton Size: 49x41x16cm (25pcs)

CC	*		<u> </u>
Middle	150 LM	13 M	13 H
High	290 LM	18 M	8 H
Low	12 LM	4 M	110 H
Strobe			

The Parameters above are only for reference. If there are any technical updates, please check them from products' package.

CC2 X (1) 290 LM 17M 12 H 550 LM 23 M 7 H 25 LM 5 M 165H

The Parameters above are only for reference. If there are any technical updates, please check them from products' package.

CC3	**		0
Middle	290 LM	17 M	16 H
High	550 LM	23 M	11 H
Low	25 LM	5 M	240 H
High(Red)	31 LM		40 H
Strobe(Red)			-

The Parameters above are only for reference. If there are any technical updates, please check them from products' package.





ePower Flexible folding Lamp



Max 180 Lumens

- Max 5200mAh capacity power bank
- It can be used as table lamp and camping lantern
- Be sure with the remaining power of its indicator
- Waist-hanging snap design, which makes it portable in outdoors
- Power Source : 2*18650
- Light Source: 1*CREE XPG3 S2 LED
- IPX5
- Weight : 182g
- Packing: Window paper box

White	X		(
Middle	90 LM	6 M	14 H	
High	180 LM	8 M	10 H	
Low	11 LM	2 M	170 H	
Strobe	-	-	-	

The Parameters above are only for reference. If there are any technical updates, please check them from

NOX Camping Lantern




Max 94 Lumens

- The excellent stretch cord can be hung on the tree branch or bicycles
- The magnet base can be easily absorb on the magnet
- Power Source : 3*AAA/1800mAh Li-polymer battery Light Source : 6*White LEDs + 1*3528 Red LED
- Weight: 46.5g(without batteries)
- Packing: Window paper box Carton Size: 36x35x29.5cm (96pcs)

	White	XK	-	1800mAh	3AAA
High		94 LM	8 M	6 H	4 H
Low		5 LM	2 M	90 H	80 H
	Red				
High		2 LM)[98 H][85 H
Strobe	*********	-	-	480 H	296 H

The Parameters above are only for reference. If there are any technical updates, please check them from



Flashlight Camping Lantern



- Falshlight & Camping lantern all in one
- Stepless adjusting the brightness
- Two single hangs
- Dimmimg mode
- Power Source : 4*AA
- Light Source: 1*CREE XPG3 S3
- IPX5
- Weight: 137g(without batteries)
- Packing: Window paper box
- Carton Size : 52x40x47.5cm (48pcs)

White	* -			(
High	190 LM	170 M	Ф10 М	40 H
Low	8 LM	40 M	Ф1.5 М	230 H

The Parameters above are only for reference. If there are any technical updates, please check them from products' package.

Max 190 Lumens



Flashlight Camping Lantern



Max 190 Lumens

Flashlight Camping Lantern



Max 150 Lumens

Two Light Sources Camping Lantern



Max 145 Lumens

- Falshlight & Camping lantern all in one

- Power Source : 3*AAA

- Light Source: 1*CREE XPG3 S2

- IPX5

- Weight: 84g(without batteries)

- Packing : Window paper box

- Carton Size: 41.5x33x38.5cm (48pcs)



The Parameters above are only for reference. If there are any technical updates, please check them from products' package.



- Compact size
- Falshlight & Camping lantern all in one
- Power Source : 1*AA
- Light Source: 1*CREE XPG3 S2 LED
- Weight: 49g(without batteries)Packing: Window paper box
- Carton Size: 41.5x33x38.5cm (48pcs)

White	XK			0
High	150 LM	92 M	8 M	4 H
Low	17 LM	30 M	3 M	20 H
Strobe Strobe	-	-	-	6 H

The Parameters above are only for reference. If there are any technical updates, please check them from

- White/Red light avaliabe

- Power Source : 3*AA

- Light Source: 6*LEDs+3*Red LEDs

- IPX5

Weight: 136g(without batteries)Packing: Window paper box

- Carton Size: 41.5x33x38.5cm (48pcs)

	White	*		(
High		145 LM	8 M	25 H
Middle		70 LM	5 M	70 H
Low		11 LM	2 M	210 H
	Red			
Middle		-		230 H
Strobe		-		-
SOS		-	-	-

The Parameters above are only for reference. If there are any technical updates, please check them from

Fishing Light

eFishing800 eFishing400 eFishing300 iFishing



eFishing800



- You can replace the headlamp with different light color easily with the GoPro mounting system and you can also set up the GoPro camera
- Power Source: 6*18650(15600mAh)
 Light Source: 1*CREE XML2 U2 LED
- IPX6

- Weight: 554g

White	*	(
High	640 LM 440 M	13 H
Low	15 LM 70 M	320 H

The Parameters above are only for reference. If there are any technical updates, please check them fror products' package.

eFishing400



Max 400 Lumens

eFishing300

- With the switch and button design, you can adjust the lighting easily for different outdoor activities
- You can replace the headlamp with different light color easily with the GoPro mounting system and you can also set up the GoPro camera
- Power Source: 2*18650
- Light Source: 1*CREE XML2 U2 LED
- IPX6
- Weight: 229g(without batteries)

White			
	High		
- (Low	-	





The Parameters above are only for reference. If there are any technical updates, please check them from



- with the cable controller you can connect to any of your power bank as the power supply
- You can replace the headlamp with different light color easily with the GoPro mounting system and you can also set up the GoPro camera
- Power Source : 5V power bank
- Light Source: 1*CREE XML2 U2 LED
- IP>
- Weight: 180g(without batteries)

White	*		(
Middle	50 LM	194 M	-
High	340 LM	365 M	-
The Parameters above are only for reference	. If there are any technic	al updates, please o	heck them from

Max 340 Lumens

iFishing Sensing Headlamp

Max 225 Lumens



- Waving your hand to turn on/off the headlamp within the distance of 15cm

- Compact and lightweight
- Power Source: 3*AAA
- Light Source: 1*CREE XPG3 S2 LED
- IPX6
- Weight: 61g(without batteries)Packing: Window paper box

Focus light	X		(
Middle	65 LM	46 M	7 H
High	225 LM	85 M	4 H
Low	7 LM	15 M	120 H
Sensing light			
High	140 LM	65 M	3 H
Low	14 LM	21 M	70 H



Accessories

Solar Charger Мосо **iRecord** FUN CC Cup **Youdo Box**





- With lighting function - 3300mAH Li-polymer battery installed

- The USB charging port can be directly charged for power

- The remaining power can be showed with the indicator

- Fastly extrusion type to Grind coffee beans

- Power Source : 3*18500mAh - Light Source : 4*White LEDs

- Weight: 627g











- Power Rating: 10W

- Output Voltage/Electric Current: 5V*1.5A(MAX)

- Solar Energy Current: 22%-25%

- Output : USB

- Unfolded Size: 465x265x3mm

- Weight: 300g





Record Outdoor Lifesaving Cards



- Two red LEDs embedded in the front, making the lifesaving card more eye-catching
 - Power Source : 500mAh Li-polymer battery
- Light Source: 2*Φ5 LEDs+2*335 Red LEDs
- Weight: 35g
- Packing: Window paper box

	White	*	<u> </u>
High		65 LM 18 M	2.5 H
Low		6 LM 6 M	26 H
	Red		
High			16 H
Strobe	**********		-

The Parameters above are only for reference. If there are any technical updates, please check them from products' package.

Max 65 Lumens

Fun Light Multi-functional Light



Max 40 Lumens

- It can be used for camping hiking and running Power Source: 120mAh Li-polymer battery
- Light Source : 1*Φ5 LED + 2*Red LEDs
- Weight: 14g
- Packing: Double blister Carton Size: 31.5x41x25cm(80pcs)

White	XX		0
Middle	15 LM	8 M	3.5 H
High	40 LM	13 M	1.3 H
Low	1 LM	2 M	32 H
Red			
Middle <	2 LM	_	4.2 H
Strobe	-	-	40 H
Marquee	-	-	56 H

The Parameters above are only for reference. If there are any technical updates, please check them from products' package.

Youdo Lantern Box

Multipurpose case for youdo series



- The excellent stretch cord can be hung on the tree branch or bicycles
- The magnet base can be easily absorb on the magnet
- IPX5
- Weight : 62.5g Packing : Window paper box
- Carton Size : 34.5x28.5x39cm(64pcs)









CC series cup

Rechargeable Camping Lantern

- Food grade PP material can be used as water bottle Make the CC series be soft light no hurt for eyesight



B-Sports Portable Bicycle Taillight




- Red led high、strobe and flash modes Quick take off design
- Power Source : 2*AAA
- Light Source: 3*Red LEDs
- Weight : 41g Packing : Double blister
- Carton Size: 48x36x25.5cm(48pcs)

Red	(
Constant	110 H
Strobe	155 H
flash	130 H

The Parameters above are only for reference. If there are any technical updates, please check them from products' package.

B-Youdo Portable Rechargeable Bicycle Light - 3 lighting modes, ordinary road, main road, wild road - Power Source: 1800mAh Li-polymer battery



- Light Source: 1*CREE XPG3 S2 + 2*White LEDs

- IPX5

- Weight: 95g

- Packing : Window paper box

- Carton Size: 48x36x25.5cm(48pcs)

White	**	(
Ordinary road	160 LM 70 M	5 H
Main road	40 LM 13 M	13 H
wild road	200 LM 70 M	3.5 H

The Parameters above are only for reference. If there are any technical updates, please check them from products' package.